



Android Mobile Client. User Guide

Version 2.12.0

1. General information about the Android mobile client	3
2. Connecting to the server and working with servers in the Android client	3
2.1 Direct Server connection	3
2.2 Connection via AxxonNet	7
3. Mobile Android Client settings	8
3.1 Connection configuration	10
3.2 Configuring video	10
3.3 Configuring the Android mobile client interface	11
3.4 Configuring PTZ cameras control	12
3.5 Configuring geomaps	13
3.6 Configuring getting event in Android Mobile Client	13
3.7 Advanced settings	13
4. Displaying and searching for cameras in Android Mobile Client	14
5. Viewing live video in the Android mobile client	17
6. Controlling PTZ cameras from the Android Mobile Client	19
7. Working with fisheye camera in Android mobile client	20
8. Viewing previously recorded video in the Android mobile client	23
9. Face search in archive	25
10. Digital zoom in the Android mobile client	30
11. Making a screenshot	30
12. Viewing a list of system events in the Android mobile client	31
13. Working with maps in the mobile Android Client	34
13.1 Working with Intellect maps	34
13.1.1 Using cameras	35
13.1.2 Using relays	36
13.1.3 Using sensors	36
13.1.4 Using macros	37
13.2 Working with geomaps	37
14. Running macros in the Android mobile client	39

General information about the Android mobile client

The client app for mobile devices running Android (version 4.1.1 and later) and Android TV is available for free on the [Google Play](#).

Note
The app can be controlled using the mouse only in Android TV.

The client for Android devices allows connecting to Axxon Next servers (version 3.0 and later) and Intellect servers (version 4.9.0 and later).

Client features are described in the table.

Client features	Working with Intellect servers	Working with Axxon Next servers
Connection via AxxonNet	-	+
Live Video and Audio Monitoring	+	+*
Playback of recorded video and audio	+	+*
Face search in archive	-	+**
Playback of Android sound on speakers	+	-
Getting titles in the live and archive modes	+***	-
Zoom in (with digital zoom)	+	+
Managing cameras, relays and sensors	+	-
Control of PTZ cameras (including activation of presets)	+	+
View maps	+	-
Working with geomaps	+	+
View the list of events	+	+
Receiving push notifications about events in the system	-	+****
Run macros	+	+

* Audio from Axxon Next Server is available in the rtsp over ffmpeg mode for cameras with h.264 stream only (see [Configuring video](#)).

** Face detection is to be configured in order to search faces on the Axxon Next Server (see [Face Detection Tools](#)).

*** Getting titles is available only for the mjpeg playback format.


**** Getting push notifications for the Axxon Next Server is available since version 4.1.0.5950.

Connecting to the server and working with servers in the Android client


Direct Server connection

Configure the Web server in the appropriate software package before connecting to the Server (see [Configuring the web server](#) , [Configuring the server for the clients connection via the Web-server 2.0 module](#)).

When you start the software for the first time you can connect to the *Intellect* and *Axxon Next* demo servers to see your Client's capabilities.



Add a new server as follows:

1. Click the  button.
2. Set Server connection parameters:
 - a. Enter the server name (**1**).

Add server

Name	Server 1
URL	46.29.74.163:80 2
Login	user 3
Password	•••• 4
TEST CONNECTION	OK
5	6

- b. Enter the URL server address in the format `http://<IP address of Axxon Next server>:<Port>/<Prefix>` (**2**).

Note
 Example URLs with standard Server settings for Axxon Next and Intellect:

Axxon Next (3.6 and earlier): 192.168.0.10:8000/asip-api

Axxon Next 4: 192.168.0.10:80

Axxon Intellect: 192.168.0.10:8085/web2


- c. Enter the user name and password for connecting (**3-4**).
3. To test the connection, tap the **Test connection** button (**5**). If the server is running, the connection settings are correct, and the device has a stable Internet connection, the message **Connection successful** appears. Otherwise, a message will remind you to verify these conditions.



Note


To perform a basic check of the web server connection and operability, in a browser on your mobile device, go to the Server's URL address (see paragraph 2).

4. To save the server, tap the **OK** button (6).


The server is added to the list.




Swipe and then use the  button to remove the Server or click the  button to go to the Server settings.





Note
To cancel removing, click the **Cancel** button.


To create a QR code with Server settings click the  button.




To create a Server with the same settings on another device click the  and scan the code.

You can share the created server settings. For this click the  button and select a handy way.




The server that is now connected is marked .


To connect to another server, call the Client context menu by clicking the  button in the top left corner.

Select the required server as follows:

1. Click the corresponding Server icon.



2. Click  and select the required Server in the list.



To restore to the Server settings, click **Manage**.


Connection via AxxonNet

✔ For Axxon Next only


⚠ Attention!
Configure the cloud service in order to connect via AxxonNet (see [AxxonNet Setup and Operation](#)).

To work via AxxonNet:


1. Click the **AxxonNet login** button when the app is run.



2. Enter the e-mail and password in order to connect to AxxonNet.



3. Click the **Login** button.
4. The AxxonNet connection status will be refreshed after successful authorization and Axxon domains connected to AxxonNet will be displayed in the **Cloud servers** list.





5. Connect to the required Axxon domain by clicking it.

Mobile Android Client settings


To go to the setup menu:

1. Call the main menu by clicking the  button in the top left corner.
2. Select the **Settings** item.



To go to the parameters select the corresponding group of settings.


To view info on the mobile Client click **About** in the **Settings** menu.



Connection configuration

To configure connection:

1. Select max.fps when connecting to Internet: **Maximum**: 9 fps, **Medium**: 6 fps, **Slow**: 3 fps (1).



Note.


These settings are valid only when connection to the *Intellect* software package is established.

2. Enable the **Autoconnect** feature if auto connection to the latest Server is required at the app start (2).

Configuring video

Configure video parameters as follows:

1. Select playback format (1): **mjpeg**; **mjpeg via ffmpeg** (less resource-intensive than mjpeg); **rtsp via ffmpeg (h.264)** (video is displayed in the original format via RTSP protocol).



2. Specify RTSP port set in *Intellect* settings (**2**, see [Configuring rtsp Server module](#)).
3. Select the video resolution while viewing video from one camera (the **Resolution** setting) and while displaying video from several cameras (**Resolution in multiview** setting, **3**):
 - a. **Auto** - when your mobile device has a slow Internet connection, the degradation of image quality algorithm is applied for the image resolution.
 - b. **SQCIF** - display video with constant resolution 126 × 96 (for multiview only).
 - c. **QCIF** - display video with constant resolution 176 × 144.
 - d. **CIF** - display video with constant resolution 352 × 288 (for multiview only).
 - e. **4CIF** - display video with constant resolution 704 × 576 (for multiview only).
 - f. **Max** - display video with original resolution.



Note.


These restrictions are recommended when your mobile device has a slow Internet connection.

4. Select the video display mode in the tile (**4**, see [Displaying and searching for cameras in Android Mobile Client](#)).
5. **Live stream for snapshots (5)**: when the parameter is enabled live streams are displayed in the quad, when the parameter is disabled – frames at some update rate.


Configuring the Android mobile client interface

The Android mobile client interface is configured by setting the following parameters:

1. **Theme (1)**: select the color skin of the Client interface.



2. Set the tile format (2).




3. **Archive chooser control** (3): select how to switch between video surveillance modes (buttons or list, see [Viewing previously recorded video in the Android mobile client](#))
4. Select the type of sorting cameras in multiview mode: by name, by ID or by Server (4).
5. By default the main group (region) including all cameras is displayed in the list of groups (regions). Disable the corresponding parameter in order not to display the group (region) in the list (5).
6. By default demo Servers that cannot be deleted are displayed in the list of Servers. To hide them use the corresponding parameter (6).
7. To hide the camera ID in the camera name enable the **Hide camera ID** parameter (7).

Configuring PTZ cameras control

Configure control over PTZ cameras as follows:

1. Specify the moving speed of ptz (**1**).




2. Select PTZ camera control mode (**2**, see [Controlling PTZ cameras from the Android Mobile Client](#)): step keys or a virtual joystick.

Configuring geomaps

Configure geomaps as follows:

1. Select geomap provider: Google or OpenStreetMap (**1**).




2. By default live video is displayed in the bottom right corner of the screen when selecting a camera. Disable the corresponding parameter in order not to display live video on the map (**2**).

Configuring getting event in Android Mobile Client

To configure getting events:

1. By default Android Mobile Client gets events from the Server. Disable the corresponding parameter in order not to get events (**1**).



2. The corresponding parameter is to be activated in order to enable push notifications (**2**).



Attention!

To get push notifications on the *Axxon Next* Server connection to AxxonCloud is to be performed (see [AxxonCloud Setup and Operation](#)).



Note



Getting push notifications is available only for the Axxon Next Server

3. Select the automatic refresh interval for events (**3**).

Advanced settings

To perform advanced settings of the mobile Client:

1. Enable the **Frame rate** parameter if fps is to be displayed on the video (**1**).



2. When the Android mobile client crashes a crash report is created. It is automatically sent to AxxonSoft for analysis. To stop crash reporting disable the **Crash reports** parameter (**2**).
3. Enable the **Hide warnings** feature if notifications about connection to the outdated Server are to be disabled (**3**).


Displaying and searching for cameras in Android Mobile Client

Cameras can be shown as the list or tiles in the Android mobile client.





Note

After you connect to a Server, cameras are shown as a scrolling list.





Note
When connecting to Axxon Next Server the stream with the lowest resolution is selected in the multiview for cameras supporting multistream.


To change the camera display mode go to the menu by clicking the  button and select the required item.



To display video cameras of the specified group (in the *Axxon Next* software, see the [Configuring video camera groups](#) section) or region (in the *Intellect* software, see the [Examples of using areas and regions](#) section) open the main menu and select the group.





The tile format can be set (see [Configuring the Android mobile client interface](#)). The full screen displaying is available in this mode. Click the  button and select the **Full screen** item.



Note
To return click the **button**.


To perform a camera search:

- click the  button in the tile mode and select the **Search** item.
- click the  button in the list mode.

Viewing live video in the Android mobile client


To view live video, select the necessary camera.

This opens a viewing tile for the camera.




Note

If the mjpeg playback format is selected (see [Configuring video](#)) and the captioner is configured for a camera in Intellect (see [The Captioner object setup](#)), then captions are displayed on the video.



To configure video click the  button.


If rtsp via ffmpeg (h.264) playback format is selected (see [Configuring video](#)), then select the required video stream.




The required resolution is selected for other playback formats.




If there is a microphone on the camera and the RTSP playback format is selected in the settings (see [Configuring video](#)), then audio from the camera is played back by default. To disable audio click the  button, the icon changes to .

To open the video in full screen click the  button.




To return click the  button.


To go to extra actions (macros, events, switch to map, screenshots) click the  button and select the required action.

To return to the list of cameras, tap the **Back** button of the mobile device or app ().



Controlling PTZ cameras from the Android Mobile Client


You can control PTZ cameras. To get started, open a viewing tile for a camera and click the  button on the bottom control panel.

The camera viewing angle is controlled using a virtual joystick or step keys depending on the Client settings (see [Configuring PTZ cameras control](#)).




Note. Rotation on optional angle is not available while connecting to the *Intellect* Server. Joystick can move strictly on vertical or horizontal direction.

To control optical zoom, use the  and  buttons.

To go to the preset go to the  tab and select the required preset in the list.



To add a new preset click the  button.


Two PTZ camera control features are available:

- **Areazoom** - focusing at a specific area of the video. Hold down for a second in the area and then change the size of the blue frame by moving the finger. The camera lens will rotate and the video will zoom in so that this area will fit the screen.
- **Point&Click** - focusing at a specific point of the video. Double tap this point and the camera lens will rotate automatically so that this point will be in the center.

Working with fisheye camera in Android

mobile client

By default video from fisheye cameras is displayed as a 360° panorama.




When digital zoom is applied to video, the step and viewing area are displayed.



To go to the virtual PTZ format:


1. Click the  button.
2. Activate the **Dewarp** mode (1).




3. Select the proper camera location (2).

4. Control zoom using the scale (3) or by stretching/pinching the image with two fingers.

Viewing previously recorded video in the Android mobile client







To view video archive in the Android mobile client select a required camera in the list and go to the  tab or select **Archive** in the corresponding list (depending on the display settings, see [Configuring the Android mobile client interface](#)).

Archive view mode.




To open the video in full screen click the  button. To return click the  button.

Video playback is controlled using these buttons:

- Play recording: ;
- Pause playback: ;
- Go 10 minutes back ;
- Go 10 minutes forward ;
- Go to the archive beginning - to the first recorded video ;
- Go to the archive ending - to the last recorded video .


Playback can be speeded up, slowed down as well as it can be backward/forward.



To play video backwards put the slider to the left from the initial position (x1). The current playback speed is displayed below the slider on the maps. To play video forwards put + before the speed; to play video backwards put - before the speed.

Note
The fast playback is available only when there is connection to Axxon Next server.

To navigate the archive click the time and date form and select the required time.




Face search in archive

Face search is available when connecting to Axxon Next Server.


Note
Face detection is to be configured in order to search faces on the Axxon Next Server (see [Face Detection Tools](#)).

To search faces:

1. Call the main menu by clicking the  button and select the **Face search** item.





2. Select the face to be found in the archive. There are 3 ways:
 - a. Select the photo in the device memory (**1**);




- b. take a photo with the device's camera (2);
 - c. select the face in the **Face detection** event (see [Viewing a list of system events in the Android mobile client](#)).
3. Set the search interval using the calendar (3).



4. To start searching click the  button.
Search results will be displayed on the screen.



When selecting the specific search result there will be the frame showing the time of recognition, recognition quality, camera name and buttons used to switch to the real time and archive modes.



Digital zoom in the Android mobile client

Digital zoom can be performed both in live video and archive view modes.


To zoom, pinch the video with two fingers.

Video cannot be made smaller than its original size. 16x is the upper zoom limit.


To select the visible part of the frame when zoom is active, tap and drag the viewing tile.

Making a screenshot


To make a screenshot click the  button and select the **Take screenshot** item.











The date (current or archive), Server name and camera name will be added to the screenshot.



Viewing a list of system events in the Android mobile client

To view the list of system events click the  icon in the top right corner.

Events	
2016-10-26	
	14:49:15 Come in zone ended 2.Camera
	14:48:52 Come in zone began 2.Camera
	14:48:05 Come in zone ended 2.Camera
	14:47:54 Come in zone began 2.Camera
	14:44:54 Come in zone ended 2.Camera
	14:44:30 Come in zone began 2.Camera
	14:38:09 Come in zone ended 2.Camera
	14:37:47 Come in zone began 2.Camera



Note.

The full name of person will be displayed in the event while face recognition on the Server of the *Intellect* software package, the recognized license plate – while license plate recognition.




Attention!





While switching to the list of events from the mode of video image viewing for the specified camera, than events only for this camera will be displayed in the list.

By default the latest events are displayed on top. To find events for a specific date and time:




1. Click the  button.
2. Set the date and time.







To switch to live video, archive or map from the received event, swipe your finger over the event from right to left and click the corresponding icon ( - live video,  - an archive,  - geomap,  *Intellect* map (diagram)).

The switch to the search of detected face in the archive is available for the **Face detection** event - .



When connecting to the Axon Next Server push notifications can be got during following events:

- Detection triggering (Event detector),
- camera on/off (Event device),
- camera connection lost/restored (Event device).


	Event detector	15:37
	Event device	15:37
	Event device	15:37
	Event device	15:37


Working with maps in the mobile Android Client


The following maps are available in the Android Mobile Client:

1. *Intellect* maps (see [Setup procedure for the interactive map](#)).
2. Google and OpenStreetMap geomaps (see [Configuring geomaps](#)).

Working with Intellect maps

To view the map, call the main menu by clicking the  button and select the **Plan** item.





To switch the maps, click the  button and select the required one.

Choose map

- Map 1
- Map 2

CHOOSE







If there are several layers on the map, then they are listed by right-left scrolling.



Icons for the following devices can be displayed on the map in the mobile Client: cameras, sensors, and relays. In addition, icons for macros can be displayed. Icons indicate the current status of devices and allow controlling them.

You can adjust the scale of the map in the Android Client. Simply pinch your fingers on the screen (to zoom out) or move them apart in a sweeping motion (to zoom in).

Using cameras

The icon of a camera on the map indicates the current status of the camera:

Icon	Status
	Camera alarm, recording is not active
	Camera alarm, recording is active
	Camera armed, recording is not active
	Camera armed, recording is active
	Camera disarmed, recording is not active
	Camera disarmed, recording is active

	Camera disabled in the System
	Camera connection lost

Live video is displayed when clicking the camera icon.

To control a camera on the map, tap its icon – the context menu will appear:

Actions for Camera 2

Start recording

Stop recording





Disarm

Arm

To perform an action select a command. A description of commands is given in the [Intellect Operator's Guide](#).

Using relays

The icon of a relay on a map displays the current status of the relay.

Icon	Status
	Relay disabled in the System
	Relay connection lost
	Relay off
	Relay on

To control a relay from the map, tap its icon to open its context menu:

Actions for Relay 1








Disable

Enable

To perform an action select a command. A description of commands is given in the [Intellect Operator's Guide](#).

Using sensors

The icon of a sensor on a map displays the current status of the sensor.

Icon	Status
	Sensor armed + alarm event accepted
	Sensor armed + alarm
	Sensor armed
	Sensor disarmed + alarm
	Sensor disarmed
	Sensor disabled in the System
	Sensor connection lost

To control a sensor from the map, tap its icon to open its context menu:

Actions for Sensor 1

Disarm

Arm

Classify alarm

To perform an action select a command. A description of commands is given in the [Intellect Operator's Guide](#).

Using macros

To execute the macro on the map, click its icon and then - **Execute action**.

Actions for Arm All

Execute action



Note

Macros can be executed only when there is connection to *Intellect Server*.

Working with geomaps

For the camera to be displayed on the geomap the camera name is to contain geographical coordinates in [X, Y, Z] format, where


X - latitude;


Y - longitude;


Z - camera rotation angle relative to the vertical axis, optional parameter.

For instance, this camera will be displayed on the map in the point with [53.462076, -2.289342] coordinates.

5.Camera 5 [53.462076, -2.289342, 180]	
Object identification	
Enable	Yes
ID	5
Name	Camera 5 [53.462076, -2.289342, 180]

To view the geomap, call the main menu by clicking the  button and select the **Map** item.





Live video appear in the bottom right corner of the screen when clicking the camera icon on the map (if this option is enabled in settings, see [Configuring geomaps](#)).


Video will be played back in a new window when clicking the video or camera name (see [Viewing live video in the Android mobile client](#)).

Note

Location of the mobile device on the map is marked .

Running macros in the Android mobile client

To run a macro:

1. Call the macro menu by clicking the  button.
2. Select the necessary macro in the list.

Macro actions

Start Recording


Stop Recording

Arm All

Disarm All

Test Push Notification

The message about successful macro running is displayed from below.



Moreover, the macro can be executed on the map (see [Using macros](#)).