

[http://example.com:\[port\]/web2/secure/kartas/{plan}/layers/{base}/points/](http://example.com:[port]/web2/secure/kartas/{plan}/layers/{base}/points/)

plan		
base		

:



.. x y , ..

:

<http://172.17.11.72:8085/web2/secure/kartas/1/layers/1/points/>

:



, ..

#### XML

<points>

```
<point>
  <id>CAM:1</id>
  <layerId>base</layerId>
  <mapId>plan</mapId>
  <x>100.0</x>
```

```
<y>100.0</y>
</point>
<point>
<id>CAM:2</id>
<layerId>base</layerId>
<mapId>plan</mapId>
<x>200.0</x>
<y>200.0</y>
</point>
<point>
<id>GRAY:1</id>
<layerId>base</layerId>
<mapId>plan</mapId>
<x>300.0</x>
<y>300.0</y>
</point>
<point>
<id>GRAY:2</id>
<layerId>base</layerId>
<mapId>plan</mapId>
<x>400.0</x>
<y>400.0</y>
</point>
<point>
<id>GRELE:1</id>
<layerId>base</layerId>
<mapId>plan</mapId>
<x>500.0</x>
<y>500.0</y>
</point>
<point>
```

```
<id>GRELE:2</id>
<layerId>base</layerId>
<mapId>plan</mapId>
<x>600.0</x>
<y>600.0</y>
</point>
</points>
```

id	":", , "CAM:1"
layerId	
mapId	
x	
y	Y