

# RabbitMQ

RabbitMQ 3.3.3    guest    <http://localhost:15672> . , , .

RabbitMQ :

- 1. RabbitMQ Admin (1).
- 2. Users (2).
- 3. Add a user (3).

User: guest

Cluster: rabbit@WS4 (change)

RabbitMQ 3.3.4, Erlang R16B01

Log out

Overview

Connections

Channels

Exchanges

Queues

Admin 1

Users 2

Virtual Hosts

Policies

Federation Status

Federation Upstreams

All users

Filter:  ☐ Regex (?)

1 item (show at most 100)

Name	Tags	Can access virtual hosts	Has password
guest	administrator	/	*

(?)

Add a user 3

HTTP API | Command Line

Update every 5 seconds

Last update: 2014-09-10 10:37:47

- 4. Username: (1).
- 5. Password: (2).
- 6. (3) .
- 7. Tags: administrator (4).
- 8. Add user (5).

Overview

Connections

Channels

Exchanges

Queues

Admin

Users

All users

Filter:  ☐ Regex (?)

Name	Tags	Can access virtual hosts	Has password
guest	administrator	/	*

(?)

Add a user

Username: User1 1

Password:  2

3 (confirm)

Tags: administrator (?) 4

Admin

Monitoring

Pollicymaker


Management

None

Add user 5

HTTP API | Command Line

9.



[Overview](#) [Connections](#) [Channels](#) [Exchanges](#) [Queues](#) [Admin](#)

## Users

▼ All users

Filter:  ☐ Regex (?)

Name	Tags	Can access virtual hosts	Has password
User1	administrator	No access	•
guest	administrator	/	•

(?)

▼ Add a user

Username:

Password:

▼

(confirm)

Tags:


[Admin] [Monitoring] [Policymaker] [Management] [None]

Add user

HTTP API | Command Line |

10.

11. Set permission.



The image shows the RabbitMQ Admin UI for a user named 'User1'. The top navigation bar includes 'Overview', 'Connections', 'Channels', 'Exchanges', 'Queues', and 'Admin' (highlighted in orange). Below the navigation bar, the user name 'User: User1' is displayed. A yellow warning box states: 'This user does not have permission to access any virtual hosts. Use "Set Permission" below to grant permission to access virtual hosts.' The 'Overview' section shows the user's role as 'administrator' and a tag 'Can log in with password'. The 'Permissions' section shows 'Current permissions' as '... no permissions ...'. Under 'Set permission', there are input fields for 'Virtual Host' (set to '/'), 'Configure regexp', 'Write regexp', and 'Read regexp', all containing a dot '.'. A 'Set permission' button is highlighted with a red circle. At the bottom, there are links to 'Update this user' and 'Delete this user'.

RabbitMQ™

Overview Connections Channels Exchanges Queues Admin

User: User1

This user does not have permission to access any virtual hosts. Use "Set Permission" below to grant permission to access virtual hosts.

▼ Overview

Tags administrator

Can log in with password •

▼ Permissions

Current permissions

... no permissions ...

Set permission

Virtual Host: /

Configure regexp: .

Write regexp: .

Read regexp: .

Set permission

► Update this user

► Delete this user

12. , .

RabbitMQ .