

()

- Detailed description: This scatter plot illustrates the distribution of parameter values across different protocols. The x-axis represents the parameter identifier (param_id) and the y-axis represents the parameter value (param_value). The data points are color-coded by protocol: BacNet (represented by open circles), SIP- (represented by filled squares), (PTZ) (represented by filled circles), and other protocols (also represented by filled circles). The plot shows a general trend where most parameters have low values, with a few notable outliers for the (PTZ) and SIP- protocols.

Protocol	param_id	param_value
BacNet	1	10
BacNet	2	10
BacNet	3	10
BacNet	4	10
BacNet	5	10
BacNet	6	10
BacNet	7	10
BacNet	8	10
BacNet	9	10
BacNet	10	10
SIP-	1	10
SIP-	2	10
SIP-	3	10
SIP-	4	10
SIP-	5	10
SIP-	6	10
SIP-	7	10
SIP-	8	10
SIP-	9	10
SIP-	10	10
(PTZ)	1	10
(PTZ)	2	10
(PTZ)	3	10
(PTZ)	4	10
(PTZ)	5	10
(PTZ)	6	10
(PTZ)	7	10
(PTZ)	8	10
(PTZ)	9	10
(PTZ)	10	10
Others	1	10
Others	2	10
Others	3	10
Others	4	10
Others	5	10
Others	6	10
Others	7	10
Others	8	10
Others	9	10
Others	10	10

• JScript

- JScript
 - JScript
 -
 -
 -
 -
 -
 -

- ○ ○ ○
- ○ ○ ○ ○
- ■ , ,
- JScript
 - ○ ○ ○ ○ ○ ○ ○
 - BacNet
 - Telegram
- 1. -
 - -
 - -
 - -
 - -
 - -
 - -
 - -
 - -
- 2. ,
 - dbi
 - ddi
 - xml
 -

- GRABBER
- CAM
- MONITOR
- MACRO
- SLAVE
- DISPLAY
- PLAYER
- CORE
- MAP
- OLXA_LINE
- TELEMETRY
- TELEMETRY_EXT
- JOYSTICK
- TIME_ZONE
- ARCH
- FAILOVER

- OPERATORPROTOCOL
- EVENT_VIEWER
- GATE
- CAM_VMDA_DETECTOR VMDA
- TITLEVIEWER
- PERSON
- CAM_FACECAPTURE
- IPSTORAGE
- CAM_TITLE
- TELEGRAM Telegram
- CAM_IP_DETECTOR
- SIP_TERMINAL SIP-
- INC_MANAGER
- INC_SERVER
- DIALOG
- MMS
- MAIL_MESSAGE
- VMS
- GRELE
- GRAY
- VNS
- SMS
- SSS_WATCHDOG
- BACNET BacNet

- Core
 - Core
 - SetObjectParam
 - SetObjectState
 - DebugLogString
 - Base64Decode
 - Sleep
 - Itv_var
 - Int_var
 - GetObjectParentType
 - GetIPAddress
 - GetObjectName
 - GetObjectState
 - GetObjectParam
 - GetObjectParentId
 - DoReactStr
 - DoReact
 - DoReactSetupCore
 - DoReactSetup
 - DoReactGlobal
 - NotifyEventStr
 - NotifyEvent
 - NotifyEventGlobal
 - CreateMsg
 - Lock Unlock
 - IsAvailableObject
 - GetUserId
 - GetEventDescription
 - GetObjectIdByParam
 - SaveToFile
 - GetLinkedObjects

- WriteIni
- ReadIni
- AddIni
- SetTimer
- KillTimer
- GetObjectChildIds
- Base64EncodeFile
- Base64EncodeW
- run_cmd run_cmd_timeout
- WriteIniAny
- ReadIniAny
- AddIniAny
- MsgObject Event
 - MsgObject Event
 - GetSourceType
 - GetSourceId
 - GetAction
 - GetParam
 - SetParam
 - MsgToString
 - StringToMsg
 - StringToParams
 - Clone
 - GetObjectIds
 - GetObjectParams
 - SourceType
 - SourceId
 - Action

e