

# CAM

CAM .

CAM , . .

CAM:

ARM		, user_id<> ,
ATTACH		
BLINDING		
DETACH		
DISARM		, user_id<> ,
FILE_REC_ERROR		,
MD_START		
MD_STOP		
PRINT		
REC		, user_id<> ,
REC_STOP		, user_id<> ,
UNBLINDING		
RECODER_ON		
RECODER_OFF		
DISC_MOUNT		
DISC_UNMOUNT		
FINISHED_AVI_EXPORT		, , error_result. param<0> , ";;;" , param0<LOCALHOST;04-06-18 16:50:55_04-06-18 16:55:55;;1>
MD_LIMIT		(. ). ( ), . object_count<> , , . . NEW_OBJECT
NEW_OBJECT		, : • total<> - • new_id<> -



FILESYSTEM_FAILED		error_msg<> ; cam<> error_code<> .: CAM 1 FILESYSTEM_FAILED error_msg<Failed to delete index file: D:\\VIDEO\\INDEX\\14061608.idx, error code: 5.>,error_code<5>
-------------------	--	---

CAM .

-		
"SETUP" - ()	rec_priority<>	( 0 ..3 , 0 .., 3 .. )
	compression<>	(0 .., 1 .., ..., 5 .. )
	sat_u<>	(0 .., 10 ..)
	proc_time<>	(0-30 )
	manual<>	(0 ..; 1 ..; 2 .., .. )
	contrast<>	(0 .., 10 ..)
	md_size<>	(1-16)
	md_mode<>	(1 .., 0 ..)
	audio_type<>	
	pre_rec_time<>	(0-20 )
	bright<>	(0 .., 10 ..)
	audio_id<>	( , )
	rec_time<>	(1-30 /, 0 .. )
	alarm_rec<>	(1 .., 0 ..)
	hot_rec_time<>	(0-30 )
	hot_rec_period<>	(0-20 )
	mux<>	(0 ..1 , 15 ..16 )
	color<>	(0 ..-, 1 ..)
	activity<>	-
	arch_days<>	
	blinding<>	
	config_id<>	-
	decoder<>	-
	flags<>	
	fps<>	(0 .., 1 ..30 /)

	ifreq<>	(1 – , 2 – 100 )
	mask 0, mask1, mask2, mask3, mask4	
	md_contrast<>	(0-15)
	motion<>	(5-255)
	name<>	
	password_crc<>	
	priority<>	(0 – , 1 – )
	resolution<>	(0 – CIF, 1 – 2CIF, 2 – 4CIF)
	type<>	
	yuv<>	(0 – YUV4:2:0, 1 – YUV4:2:2)
"DELETE" –	-	-
"START_VIDEO" –	slave_id<>	,
	comress<>	
	register_only<>	-
"STOP_VIDEO" –	slave_id<>	,
"REQUEST_MASK"	mask<>	
"MUX1", "MUX2", "MUX3" – 1, 2, 3	-	-
"ACTIVATE" –	monitor<>	
"ARM" –	-	-
"DISARM" –	-	-
"REC" –	time<>	, , 1
	rollback<>	1,
	priority<>	. . 1.
	stream_id<>	. "n.m", n – id , m – . . , ( ), , – .
"REC_STOP" –	priority<>	. . 1.
	user_id<>	, .
	from_macro<>	, .
"SET_MASK" –	mask<>	

"ADD_SUBTITLES" –	command<>	
	title_id<>	,
	page<>	. : BEGIN ( ), END ( )
"SIP_CONNECT" – Sip	-	-
"SIP_DISCONNECT" – Sip	-	-
'SET_IPINT_PARAM' – () IP-. IP- web- . –. , 2. param_id param_value SET_IPINT_PARAM	param_id<>	. –. 2. param_id param_value SET_IPINT_PARAM
	param_value<>	. –. 2. param_id param_value SET_IPINT_PARAM
	vstream_id<>	( ). " .", 1.1, 1.2
"GET_FRAME" – ,	path<>	. , FRAME_SENT data. SaveToFile
	stream<>	. , . . : • stream_archive – • stream_alarm – • stream_client – • stream_analytic – ,, 4.3 – 4
	time<>	. , . : -- :: , time<19-09-2017 11:35:34>
	gate<>	. ,
	arch<>	. ,
	slave_id<>	. ,
	password_crc<>	. CRC-, ,
"ARCH_DEL_RECORD" –	fromTime<>	. --T:::, - . , , , , toTime. toTime,
	toTime<>	. --T:::, - ..
"REC_RESTART" –	-	-
"ARCH_BOOKMARK_RECORD" –	time1<>	, , -- :::, -
	time2<>	, , -- :::, -
	comment<>	
	slave_id<>	, . :<>,<>, , slave_id<WS2.1> – WS2 , 1 –
	cruise_id<>	

	action<>	:
		<ul style="list-style-type: none"> <li>• CRUISE_START –</li> <li>• PATROL_PLAY –</li> </ul>
	cam_id<>	
"GET_DEPTH" – . ARCHIVE_DEPTH SLAVE (.SLAVE).	drive<>	,     .     "<>:\\" , drive<D:\>     .     "\\" – .     UNC
	arch	,     .     DoReactStr( "CAM" , "2" , "GET_DEPTH" , "drive<D:\>,cam<2>,arch" );
	gate	,     .     DoReactStr( "CAM" , "1" , "GET_DEPTH" , "drive<V:\>,gate" );
"CLEAR_SUBTITLES" –	title_id<>	
"GET_AVAILABILITY" –	pos<>	

**CAM :**

CAM	
ID<>	
PARENT_ID<>	
TELEMETRY_ID<>	(ID )
REGION_ID<>	

**CAM , :**

CAM	
"ARMED"	
"DISARM_DETACHED"	
"DETACHED"	
"ALARMED"	

"DISARMED"	
------------	--