

# TELEMETRY

TELEMETRY .

TELEMETRY , . .

LOCKED		LOCK( . )
UNLOCKED		UNLOCK( . )

TELEMETRY :

-		
"AUTOFOCUS_ON" - 0	tel_prior<>	(1-, 2-, 3-)
"AUTOPAN_END_P" -	tel_prior<>	(1-, 2-, 3-)
"AUTOPAN_START" -	tel_prior<>	(1-, 2-, 3-)
"AUTOPAN_START_P" -	tel_prior<>	(1-, 2-, 3-)
"AUTOPAN_STOP" -	tel_prior<>	(1-, 2-, 3-)
"CLEAR_PRESET" -	tel_prior<>	(1-, 2-, 3-)
	preset<>	
"D2OFF" - Panasonic,	tel_prior<>	(1-, 2-, 3-)
"D2ON" - Panasonic,	tel_prior<>	(1-, 2-, 3-)
"DOWN" -	tel_prior<>	(1-, 2-, 3-)
"FOCUS_IN" -	tel_prior<>	(1-, 2-, 3-)
"FOCUS_OUT" -	tel_prior<>	(1-, 2-, 3-)
"FOCUS_STOP" - /	tel_prior<>	(1-, 2-, 3-)
"GO_PRESET" - ,	tel_prior<>	(1-, 2-, 3-)
	preset<>	
"HOME" - 0	tel_prior<>	(1-, 2-, 3-)
"IRIS_CLOSE" -	tel_prior<>	(1-, 2-, 3-)
"IRIS_OPEN" -	tel_prior<>	(1-, 2-, 3-)
"IRIS_STOP" -	tel_prior<>	(1-, 2-, 3-)
"LEFT" -	tel_prior<>	(1-, 2-, 3-)

"LEFT_DOWN" -	tel_prior<>	(1-, 2-, 3-)
"LEFT_UP" -	tel_prior<>	(1-, 2-, 3-)
"PATROL_LEARN" - ,	tel_prior<>	(1-, 2-, 3-)
	point<>	
	preset<>	0
	dwell<>	
	speed<>	
	flush_tour<>	1- 0-
"PATROL_PLAY" -	tel_prior<>	(1-, 2-, 3-)
"PATROL_STOP" -	tel_prior<>	(1-, 2-, 3-)
"RIGHT" -	tel_prior<>	(1-, 2-, 3-)
"RIGHT_DOWN" -	tel_prior<>	(1-, 2-, 3-)
"RIGHT_UP" -	tel_prior<>	(1-, 2-, 3-)
"SET_PRESET" -	tel_prior<>	(1-, 2-, 3-)
	preset<>	
"STOP" -	tel_prior<>	(1-, 2-, 3-)
"UP" -	tel_prior<>	(1-, 2-, 3-)
"SETUP" -	address<>	
	cam<>	
	flags<>	(0-, 1-)
	name<>	
	speed<>	
"SEND_BUFFER" - COM-	buffer<>	
	parent_id<>	.
	tel_prior<>	(1-, 2-, 3-). 0
"LOCK" -. LOCKED	tel_prior<>	(1-, 2-, 3-). 0. ,
	duration<>	. , UNLOCK
"UNLOCK" -. UNLOCKED	-	-

"AUTOFOCUS_OFF" - 0	tel_prior<>	(1-, 2-, 3-).  <b>TELEMETRY</b> ddi.exe (. )
---------------------	-------------	--

**TELEMETRY :**

TELEMETRY	
ID<>	
PARENT_ID<>	

**TELEMETRY , :**

TELEMETRY	
LOCKED -	. ( . )
UNLOCKED -	