

()

(). , SCSI, IDE, SATA, USB, RAID. SCSI- RAID (RAID-5).

() . .

 !
 , (.).

, , IP-, . .

, , PAL , .

			0 50%	0 75%	0 100%
SC390N16 (WS16)	704576		15	30	61
		\	10	22	42
	704x288		6	10	30
		\	4	9	18
	352288		4	6	17
		\	2	5	10
SC3B0N16 (WS216)	704576		19	35	101
		\	11	33	65
	704x288		8	12	49
		\	6	11	29
	352288		4	7	25
		\	3	6	15
FX416\MS416	.				
SL16-200 (FX116)					
SC310N16 (FX16)					
SC200Q4 (FS15)					
SC200Q4 Low profile (FS115)					
SC300Q16 (FX4)					
SC300D16 (FX8)					
SC230N4					
SC330Q16 (SC300Q16)					
SC330D16 (SC300D16)					

FS5FS6FS8FS16	704576		26	59	103
		\	24	42	91
	704x288		17	26	52
		\	16	24	47
	352288		11	15	39
		\	10	14	37



, , , , 0 .

;

$$0 = (1024() * 1024() * 0) / (60() * 60() * 24() * 0 * () * -)$$

. : , () , , , . . , , , () .



, :

$$0 = 12 (/ * /) * 0 / (0 * () * -)$$

, , 40 , 4 PAL, 10 , 150 . :

$$0 = 12 (/ * /) * 40 0 / (1500 * 10() * 4) = 0.080$$

, 0.08 (1 55) .



: 1) 5-10% . 2) OC Windows 20% . Windows 1000 . Windows Tweaki.exe.

PAL, 1- 25 /:

	80	160	400	750
352 288 /.	2,1	4,3	10,7	20,0
352 288 .	1,9	3,8	9,6	18,0
704 288 /.	1,6	3,2	8,0	15,0

704 288 .	1,5	3,1	7,7	14,4
704 576 /.	1,2	2,3	5,8	10,9
704 576 .	1,1	2,3	5,6	10,6