

PS-RTP



PS-RTP 4.11.3.

PS-RTP :

1. , , , GB28181.
2. .
3. .

(subserver) . (supserver), GB/T28181.


PS-RTP :

1. PS-RTP .
2. (1). PS-RTP .

The screenshot shows the configuration interface for PS-RTP. The main window title is "PS-RTP Сервер 1". The top menu bar includes "Компьютер" and "Отключить" (Disconnect). A dropdown menu shows "LOCALHOST". The tabs at the top are "Основные" (Main), "Список устройств" (Devices list), and "Подключение к внешнему серверу" (Connection to external server). The "Основные" tab is selected. On the left, there are three input fields: "IP:" (1) with value "10.0.11.55", "Порт:" (2) with value "5060", and "Транспорт:" (4) with value "UDP". To the right of these is a "RTP" section with a "Диапазон портов" (Port range) field containing "от:" (6) and "до:" (7) input boxes. Below the main settings are two more fields: "Домен:" (5) with value "0000000000" and "ID сервера:" (5) with value "00000000002000000001". At the bottom are "Применить" (Apply) and "Отменить" (Cancel) buttons.

3. IP: , PS-RTP GB28181 (2).
4. , GB28181 (3).
5. : UDP TCP (4).
6. ID , RS-RTP GB28181 (5).
7. RTP :(6):(7).
8. , RS-RTP, :

a. (1).



b. , (2).

c. (3).


d. **ID** , GB28181 (4).

e. b-d .

9.

:

a. (1).



b. (2).

c. IP IP- (2).

d. : (3).

e. , (5).

f. : (6).

g. (7).

h. ID GB28181 (8).

10.

RS-RTP .