

# CamMonitor.ocx


:

- [Connect](#)
- [ShowCam](#)
- [DoReactMonitor](#)
- [RemoveAllCams](#)
- [IsConnected](#)
- [GetCurlIp](#)
- [SendRawMessage](#)
- [Disconnect](#)
- [SetCallBackOptions](#)
- [SetParam](#)

## Connect

**Connect**(BSTR **ip**, BSTR **login**, BSTR **password**, BSTR **arch\_password**, long **param**, long **port**) // .

- BSTR **ip** – IP .
- BSTR **login** – ( ).
- BSTR **password** – ( ).
- BSTR **arch\_password** – (.. , ).
- long **param** – , . .
  - 0 – ;
  - 1 – ;
  - 2 – .
- long **port** – .
  - 0, 1 2, 900, 901 902 ;
  - 100, 10504;
  - - , port + 20000. , port=900, 20900.

 !

Connect() , . , .

## ShowCam

**ShowCam**(long **cam\_id**, long **compress**, long **show**) /

- long **cam\_id** – ( ).
- long **compress** – 0-5 ( =0). -1 - .
- long **show** – : / (1/0).

# DoReactMonitor

**DoReactMonitor**(BSTR react\_string) – /


- BSTR react\_string – .

**react\_string:**

```
react_string = "MONITOR| |ARCH_FRAME_TIME|cam<3>,date<dd-mm-yy>,time<hh:mm:ss>,mode<1>";  
  
CamMonitor1->DoReactMonitor(react_string);
```

: 3 , «dd-mm-yy» «hh:mm:ss» ( ). mode :  
0 – , ( , ).  
1 – .  
2 – .

“MONITOR|<id >|ARCH\_FRAME\_TIME|...”

 :  
:  
DoReactMonitor(“MONITOR|ARCH\_FRAME\_TIME|cam<3>,date<02-10-05>,time<12:12:22.345>,mode<1>”)

. 2- 14 1:

"MONITOR|1|ADD\_CAM|cam<14>,cam\_id<14>,compress<1>,stream\_id<14.2>"

. 1 11

"MONITOR|CAM\_PARAMS|cam<11>;arch\_fps<1>"

# RemoveAllCams

**RemoveAllCams()** : long –

# IsConnected

**IsConnected()** : boolean - / .

# GetCurIp

**GetCurIp()** : BSTR – IP , Connect.

## SendRawMessage

**SendRawMessage**(BSTR **msg**) - .

- BSTR **msg** - .

:

```
m_Cam.SendRawMessage ( "CAM|1|REC" );
```

```
m_Cam.SendRawMessage ( "CAM|1|REC_STOP" );
```

```
m_Cam.SendRawMessage ( "CAM|1|ARM" );
```

```
m_Cam.SendRawMessage ( "CAM|1|DISARM" );
```

## Disconnect

**Disconnect**() - .

## SetCallBackOptions

**SetCallBackOptions**(int **cam\_id**, int **options**) - .

- int **cam\_id** - ().
- int **options** - . **options:**
  - WithoutVideoFrame = 0x00 - .
  - WithVideoFrame = 0x01 - .
  - WithExtendedParams = 0x02 - ( , ).
  - WithInformationLayout = 0x04 - ( ).
  - WithCompressedData = 0x08 - ( ).
  - WithoutDecode = 0x10 - .
  - WithoutSubtitles=0x20 - .



.

options , CamMonitor.ocx - . [CamMonitor.ocx](#)

## SetParam

**SetParam**(BSTR **param\_name**, BSTR **param\_value**) - CamMonitor.

- BSTR **param\_name** - .

- BSTR param\_value - .

:

```
m_cam.SetParam("monitor_ch", m_NH);  
m_cam.SetParam("monitor_cw", m_NW);
```