


RemoteProtocolConnector

RemoteProtocolConnector :

1. RemoteProtocolConnector.



2. . . (1) **Connection Properties.**

Connection Properties ? X

Data source:
SqlServers (SqlClient) Change...

Server name:
(local) Refresh

Log on to the server

☒ Use Windows Authentication

☐ Use SQL Server Authentication

User name:

Password:

☐ Save my password

Connect to a database

☒ Select or enter a database name:
Intellect

☐ Attach a database file:
 Browse...

Logical name:

Advanced...

Test Connection OK Cancel

3. . . (2) **Connection Properties** . Select or enter a database name .



Connection Properties [?] [X]

Data source:
SqlServers (SqlClient) [Change...]

Server name:
[localhost] [Refresh]

Log on to the server

☒ Use Windows Authentication
☐ Use SQL Server Authentication

User name: []
Password: []
☐ Save my password

Connect to a database

☒ Select or enter a database name:
[]
☐ Attach a database file:
[] [Browse...]
Logical name: []

[Advanced...]

[Test Connection] [OK] [Cancel]

4. (3).
5. (4).
6. (5).
7. (s) (6).
8. (7).
9. (8).
10. (9).
11. (10).



!

idb.exe - . .

RemoteProtocolConnector .