

3.

, (.).
, ASCII.

.dbi

2 :

- 1. (db_name), (db_type) // (description).
: is_guest, BIT // .
(. SQL).
- 2. (db_name), (db_type) // (description){(fmt)%(prms)}.
: job_title, CHAR, 20 // {C%||}.

 !

- a. **db_name** , .. .
- b. **description** , .. , , .
- c. **fmt** (.). **(prms)** , (. SQL).

SQL

SQL		
BIT	Boolean	/
INTEGER (-2147483648; 2147483647)	Integer	/
SMALLINT : -32768 32767,		
DATETIME	DateTime	
CHAR (: 'CHAR, 30')	String	
TEXT		

C	, . . ,	{%value1 value2 ... valueN} : {C% }
CT	. , . , ()	{CT%value1 value2 ... valueN} : {CT% -}
CCI	. , «» /. . (). , . , DDI-	{CCI%Descr1(EVENT1) Descr2(EVENT2) ... DescrN(EVENTN)} : {CCI%(CARD_ISSUED) (CARD_LOST) C(CARD_BROKEN)}
S	/ . . ,	{S%0} {S%min max} 1: {S%0} – : min: -2147483648, max 2147483647 2: {S%100 999} – : min: 100, max 999
U		-

%	% .. %EMPTY,
value1, valueN	
length	
def_value	
}	

.