

- 
- 
- 
- 
- [Player](#)
- 
- 
- 
- 
- [Web-](#)
- 
- 
- 
- 
- [AviExport](#)
- [RTSP-](#)
- 
- [VideoIQ7.](#)

:

(32) – HKEY\_LOCAL\_MACHINE\SOFTWARE\ITV\INTELLECT\  
(x64) – HKEY\_LOCAL\_MACHINE\SOFTWARE\Wow6432Node\ITV\INTELLECT

Windows , [Windows.](#)

32: (X32)\Video x64: (x64)\Video	AcsStdLimit	1-30	1	4.8.0	MJPEG. , , , .
32: (X32)\Video x64: (x64)\Video	AcsMpegLimit	1-30	25	4.8.0	H.264/MPEG4. , , , .
32: (X32)\Video x64: (x64)\Video	Activecam	0, 1	1	4.7.3	,
32: (X32)\Video x64: (x64)\Video	ActivateTelemetryHotkeys	0, 1	0	4.8.2	, .

<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	AdaptiveClientFrameSkip	0, 1	1	4.8.2	0 . . .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	AdaptivePlayer	0, 1	0	4.7.6. HOTFIX build 214	. , AdaptivePlayer. : : . . . , , , , , .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	FastPlayStep	1-6	1	4.8.0	. . : 3, x6 (.. x6, x12, x18 ..), 5 – x10. = x60. AdaptivePlayer
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	allclientsbps	>=0	0	4.7.6	-: 0 – ; >0 – Video.run
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	AllowDelete	0, 1	0	4.7.3	Del
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	AlwaysServerConnection	0, 1	1	4.7.3	,
<b>32:</b> (X32)\Video\ArchDays <b>x64:</b> (x64) \Video\ArchDays	<id >	> = 0	0	4.7.5	.
<b>32:</b> (X32)\Video\ArchHours <b>x64:</b> (x64) \Video\ArchHours	<id >	> = 0	0	4.7.5 4.10.0	. , . 4.10.0 .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ArchStatus	0, 1	1	4.7.3	,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	archsyntax	> 0	1	4.9.5, 4.8.10	, .  0 . >0 .  , 1.  / , ,
		0, 1	0	4.7.7 4.9.5, 4.8.10	, .  , . , , .  / , ,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Cfg	-	name	4.7.3	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	CheckLostFolders	0, 1	0	4.7.3	,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Compression	0,1	1	4.8.0	, ,

<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	CompressorVersion	0 - 255	110	4.7.3 4.9.0, 4.11.0	. . . , .  <b>55</b> MJPEG. <b>110</b> MotionWavelet.
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DebugCam_	0, 1	0	4.7.7	0 - 1 -
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DecompressThread	-	-		
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DecompressWidth<>		-	4.7.3	, <> ., DecompressWidth1 = 3000 1 3000 .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Delay		0	4.7.4	( )
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Delta	0, 1	1	4.7.3	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Demo	0, 1	0	4.7.3	, ,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DetectionFps	0.3...30	2	4.7.8	fps, ..  , ., GOP (group of pictures, ) = 64, .. 65- , 65- .  , , .  , , . GOP, -, , .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DisconnectInactive	0, 1	0	4.8.0 HotFix	, , :  1- (, ) 0-
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DLinkHttpPort		80	4.8.0	VitaminControll, DLink 2000 6000 . .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DrawCursor		0	4.8.0	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Drv	-	-	4.7.6	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	EnableSnapShotMode	0, 1	0	4.7.3	snapshot, Axis D-link 900,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ExportDir		moduledir + "\export"	4.7.3	( ,. <a href="#">AviExport</a> )
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ExportTime	> = 0	0	4.7.3	( ) snapshot .jpg
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Filter.Exclude			4.8.0	. :  Filter.Exclude._. - .  :  "Filter.Exclude.0"="MD_INFO"  "Filter.Exclude.1"="MD_START"

32: (X32)\Video x64: (x64)\Video	FreeMB	> 0	1000	4.7.3 4.9.5	, .
			5000	4.9.5	
32: (X32)\Video x64: (x64)\Video	FreeMbCritical	>0	100	4.8.4 4.9.5	, .
			1000	4.9.5	
32: (X32)\Video x64: (x64)\Video	ArchFreeMB	>0	-	4.8.8	, , . , , FreeMB
32: (X32)\Video x64: (x64)\Video	GateNoRec	0, 1	0	4.7.3	,
32: (X32)\Video x64: (x64)\Video	Hide	0, 1	1	4.7.3	" ":
					0 – , 1 -
32: (X32)\Video x64: (x64)\Video	HideMask	0, 1	0	4.7.3	,
32: (X32)\Video x64: (x64)\Video	Hubslovspeed	0, 1	0	4.7.3	wavehub. fps.
32: (X32)\Video x64: (x64)\Video	HWCompression	-	3		
32: (X32)\Video x64: (x64)\Video	Index	-	2	4.7.3	, .
					, ..
32: (X32)\Video x64: (x64)\Video	InfinityAutoturn	-	-	4.7.6	, Infinity ( )
32: (X32)\Video x64: (x64)\Video	IPCamPort	0 -65535	80	4.7.6	IP-, :
32: (X32)\Video x64: (x64)\Video	IsPeriod	0, 1	0	4.7.3	:
					1 - « » « 1 » « 1 » 0 –
32: (X32)\Video x64: (x64)\Video	Layout	-	-	4.7.3	
32: (X32)\Video x64: (x64)\Video	LH_Timeout	5-2147483647	5	4.7.3	, , Linux Hub . - 5 .
					(LH_Timeout*1000/5), Linux Hub: - , LH.
32: (X32)\Video x64: (x64)\Video	ManualBrightnessControl	0, 1	1	4.7.7	- IP-:
					1 - - IP 0 - -
32: (X32)\Video x64: (x64)\Video	MaxFrames	500-10000	500	4.7.3	
32: (X32)\Video x64: (x64)\Video	Missed	0 - 2,147,483,647	"mode"	4.7.3	.
32: (X32)\Video x64: (x64)\Video	Mobile	-	0	4.7.6	

32: (X32)\Video x64: (x64)\Video	Monitor<id >_cw	>=0		4.8.3	( " ")
32: (X32)\Video x64: (x64)\Video	monitor<id >_ch	>=0		4.8.3	( " ")
32: (X32)\Video x64: (x64)\Video	monitor<id >_w43	>=0	4	4.8.3	( )
32: (X32)\Video x64: (x64)\Video	monitor<id >_h43	>=0	3	4.8.3	( )
32: (X32)\Video x64: (x64)\Video	NewCompressor	0, 1	1	4.7.3	, , motionWavelet: 0 - ; 1 - ,
32: (X32)\Video x64: (x64)\Video	NewMD	0, 1	0	4.7.6	,
32: (X32)\Video x64: (x64)\Video	Noallcamsbutton	0, 1	0	4.7.3	, " "
32: (X32)\Video x64: (x64)\Video	NoLayoutControl	0, 1	0	4.7.5	F1,F2, ( )
32: (X32)\Video x64: (x64)\Video	No_main_panel	0, 1	0	4.7.3	,
32: (X32)\Video x64: (x64)\Video	Nosign	0, 1	0	4.7.6	
32: (X32)\Video x64: (x64)\Video	OldDriver	KV1999 KV2000 KV2001 KV2002 KV2003		4.7.3	ISS
32: (X32)\Video x64: (x64)\Video	Oldxeon	0, 1	0	4.7.6	eon
32: (X32)\Video x64: (x64)\Video	Onevideoout	0, 1	0	4.7.3	, FS6
32: (X32)\Video x64: (x64)\Video	OnlyServerConnection	0, 1	0	4.7.6	,
32: (X32)\Video x64: (x64)\Video	Overlay	-	1	4.7.6	
32: (X32)\Video x64: (x64)\Video	PostAlarmTime	>= 0	2	4.7.3	(.), IP- Axis
32: (X32)\Video x64: (x64)\Video	PreCompress	0, 1	1	4.7.3	,
32: (X32)\Video x64: (x64)\Video	PrintFontSize		0	4.7.3	

<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	PriorityClass	256, 128, 32768, 32, 16384, 64	16384	4.8.0	:  256 - realtime 128 - high 32768 - Above Normal 32 - normal 16384 - below Normal 64 - low
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Rbapp	-	-	4.7.3	,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	IndexRebuilding	0, 1	0	4.7.6	. IndexRebuilding=1, idx
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ReCompressMedia	0, 1	0	4.7.3 4.9.0	, ip ( IP- wavelet)
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Remote_delta	-	-	4.7.6	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	RestoreMode	0, 1	1	4.7.4 HOTFIX	, (10 ).
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ShowDate	0, 1	0	4.7.3 4.8.6, 4.10.5	, ( )
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ShowID<_>	0, 1	1	4.9.0 4.10.1	, . : ShowID3=0 -
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ShowName<_>	0, 1	0	4.7.3 4.10.1	,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ShowTime<_>	0, 1	1	4.7.3 4.10.1	,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ShowTitle	0, 1	0	4.7.3 4.10.1	,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ShowButtons<_>	0, 1	1	4.10.0 4.10.1	, <_>. , .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ShowBorder<_>	0, 1	1	4.10.0 4.10.1	, <_>. , .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Sigma	-	35	4.7.6	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	SnapshotTime	> 0	1	4.7.3	(.)
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Speaker	-	-	4.7.6	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	Threshold	-	1500	4.7.6	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TMDCorrellation	1-100 %	30	4.7.6	, , . 100%

<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TMDNonCorrectionStop	> = 0	1	4.7.6	«», ,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TMDSpeed	-	3	4.7.6	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TMDSpeedCutoff	0..	15	4.7.6	
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TMDTolerance	-	50	4.7.6	( ). (px)
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	UseConfigureByWeb	0, 1	0	4.7.3	, ip . , . , .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	UseCompression.	0, 1	1	4.7.3	(UseCompression. )
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	UseLowRefFramesFpsFix	0, 1	1	4.7.8	fps . fps = 2
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	VideoDumpMode	0, 1, 2	0	4.7.8	-: 1 – ; 2 – ,
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	VideoDumpPath	-	Intellect/ FrameDump	4.7.8	,
<b>32:</b> (x32)\LMCGate <b>x64:</b> (x64)\LMCGate	ExportFrequency	-	-	4.7.6	(.)
<b>32:</b> (x32)\LMCGate <b>x64:</b> (x64)\LMCGate	EnableExport	0, 1	-	4.7.6	,
<b>32:</b> (x32)\LMCGate <b>x64:</b> (x64)\LMCGate	ExportPath	-	-	4.7.6	-
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	AdaptiveStream	0, 1	-	4.8.3HotFix	. 1 - , . , , . ! 1 , . . , , "" . 0 - , .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ExtractWidth	0, 1	-	4.8.4	0 – MotionWavalet ( ). 1 – .
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TelemetryMouseWheel	0, 1	-	4.8.4	0 - , « «». » 1- Ctrl. : - ZOOM_IN(ZOOM_OUT), ZOOM_STOP
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ExportFontAdaptive	0, 1	-	4.8.7	( ) (4.10.5): 0 - ( ). 1 - .

<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ClientArchMessage	0, 1	-	4.9.0	MONITOR:  ARCH_ENTER - ARCH_EXIT - ARCH_FRAME_TIME - ( )
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DrawDetectorNumbers	0, 1	-	4.8.7	0 – ( ). 1 –
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DrawDetectorColors	0, 1	-	4.8.7	, : 0 – . 1 – , .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	FaceCamOffset	>0	50000	4.8.8 4.9.7	. .
			2147483648	4.9.8	
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	FontCamNameHeight	>=10	10	4.8.8	
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	FontCamTimeHeight	>=10	10	4.8.8	
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ShowFileNameInTitles	0, 1	0	4.9.0	: 0 - 1 - ( ).
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	CorrectFrameNumber	0, 1	1	4.9.0	1 – Axxon_player.exe , . 0 – , , .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	DisappearedAlarmDuration	>0	15	4.9.0	, « ».
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	LongInZoneTimeout	>0	10	4.9.0	, , " 10 .".
<b>x32:</b> (X32)\Converter <b>x64:</b> (x64)\Converter	CheckCompressedSize	0, 1	1		avi Converter.exe. 0, avi. , , .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	FastPlayMpegSkip	0, 1	1	4.9.0 4.9.7	h264. 0 – . fps 50, FastPlayMpegSkip. 1 – . 2 ( 4.9.7) – fps. . –. <i>MonitorSkipArchFramesEnable</i> .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	MonitorFrameBuffer	>=0	-	4.8.2	, IP-. 5.
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	BoardFX4MaxChannels	0, 1	0	4.9.0	FX4. 1 – . , . 0 – .



<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	BoardFS6MaxChannels	0, 1	0	4.9.0	FS6. 1 - . , . 0 - .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TelemetryZoomStopTime	>0	1000	4.9.1	()
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	OnvifCompatibilityMode	0, 1	0	4.9.1	ONVIF ., ONVIF.
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TelemetryPointAndClickDelay	>0	500	4.9.2	Point&Click Ctrl. . .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	m_nCurVolume[FS]	>=0	0	4.7.6	. ( , 0=C, 1=D, 2=E .). , . , . 1.
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	m_dwTime[FS]	.....	1970.01.01.03.00.00	4.7.6	. , . : • m_dwTime[FS] . • ( ), . , , m_dwTime[FS], ( ), ( ,. ). .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	m_nCurVolume[ARCH]	>=0	0	4.7.6	. m_nCurVolume[FS]
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	m_dwTime[ARCH]	.....	1970.01.01.03.00.00	4.7.6	. m_dwTime[FS]
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ResetFastPlay	0, 1	-	4.9.2	, 0. , , : 0 - , . 1 - .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TelemetryMouseZoom	0, 1	1	4.9.2	. 0 - . 1 - .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	UnlimitMonitorSize	0, 1	0	4.9.3	1 . ( 900%) .
<b>x32:</b> (X32)\Debug <b>x64:</b> (x64)\Debug	ShowDisplayingFps	0, 1	0	4.9.3	1 , . . ( . ).. . .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	StartPlayFromPFrame	0, 1	1	4.9.3	: 0 - . 1 - (, -).

<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	UseServerTime	, *. . 4.9.8 * all	-	4.9.3	, , , , , , , , IP-, (, Tattile). "1,10,135" ( ) 1, 10 135 * 4.10.0, , .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	MxpegResetCounter	>=0	13	4.9.5 DP 3.2.30	MxPEG , . 3, . , MxPEG MxPEG . .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TelemetryMouseAlternative	0, 1	1	4.9.5	0 – . 1 – , . . .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TelemetryLineColor	4 RGB 4- = 0. 3- - R (0..255) 2- - G (0..255) 1- - B (0..255) : : LetterboxBackgroundColor = 255 LetterboxBackgroundColor = 16777215	16777215 ( )	4.10.4	. . .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ContinousMode	, , 2,3,1	-	4.9.5	, , , , , , , , ( ) , . . .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	MonitorSkipArchFramesEnable	0, 1	0	4.9.0 4.9.4	. 0 – , , 4 ( , 60 ). 1 – : <ul style="list-style-type: none"><li>4.10.2: x4, .</li><li>4.10.3: 10 6 .</li></ul> . FastPlayMpegSkip MonitorForwardSkipSpeed.
			1	4.9.5 4.9.7 4.10.1	

<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TempWritingDir		-	4.9.6 - 4.9.7	, , «C:\Temp». «writing._<camera_id>». , VIDEO . ! <del>64</del> ( . <del>64</del> ) , . ( . ). , , , , , / . , , . TempWritingDir 100 . TempWritingDir NAS TempWritingDir , SoftPerfect RAM disk.
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	MpegWritingQueueSize	>0	-	4.9.6-4.9.7	TempWritingDir ( . ) , , , Mpeg MJpeg . , - . , , . 100.
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	MJpegWritingQueueSize	>0	25	4.9.6-4.9.7	
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	ResetOSDLine	0, 1	0	4.9.8	SC590N4. 0 – OSD- . 1 – OSD- . . .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	WritingQueueSize	>0	x32: 100 x64: ( 500)	4.9.8	, , . . . MpegWritingQueueSize MJpegWritingQueueSize ( . ). WritingQueueSize , . , WritingQueueSize .
<b>x32:</b> (X32)\ <b>x64:</b> (x64)\	ClearProtocolFromCurrentTime	0, 1	0	4.9.8	( . ): 1 – . - " " ( , ), , . 0 – . . 00:00:00 .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	MemFile	-1, 0, 1	-1	4.9.8	: 0 – . . 1 – ( 500, ), , , WriteBufferSize ( 1 ). . -1 – , WriteBufferSize ( 1 ). , .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	WriteBufferSize	>0	1	4.9.8	, . . , "" . MemFile 1 -1. . . WritingQueueSize.
<b>32:</b> (X32)\Video\AVI <b>x64:</b> (x64)\Video\AVI64	SubtitlesFontSize	8 – 48	-	4.9.0	. . , , .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TelemetryArrowLen	0 – 100	50	4.9.8	, . . .
<b>x32:</b> (X32)\Video <b>x64:</b> (x64)\Video	TelemetryStopZone	2 – 100	50	4.10.0	, . . , . , .

<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ShowTelemetryCross	0, 1	1	4.10.0	. 1 – . 0 – .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	GreenStreamUpdateTimeoutMS	>0	20000	4.10.0	, . , ( ).
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	TitlesOnlyArchive	0, 1	0	4.10.0	. 1 – *.t01. , , ( ). 0 – .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ExportDirFixed	0, 1	0	4.9.9	, AviExport. 1 – . 0 – .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ShowBookmarkButtons	0, 1	1	4.10.1	, ( ). 1 - . 0 - .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ShowExportButtons	0, 1	1	4.10.1	, ( ). 1 - . 0 - .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ResizePrintingFrame	0, 1	0	4.10.1	: 1 – , , ( ). 0 – .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	CycleByLayouts	0, 1	0	4.10.1	. 0 – . 1 – . , .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	EnableCodecSettings	0, 1	0	4.10.1	. 0 – . 1 – .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	PerspMaxObjects	>0	10	4.10.1	, ( ).
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	VirtualGrabberSortMode	0, 1, 2	0	4.10.1	: <b>0</b> – . <b>1</b> – 0. <b>2</b> – .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	SplitArchiveIntervals	>0	5000	4.10.1	"" () HTTP API ( ). . , .

<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	NotifyAbout_arch_days	0, 1	1	4.10.2	, 30% ( ).
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	archrestart	0, 1	0	C 4.8.3 4.10.3	. 1 – , , , , , . 0 – . . .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	MonitorArchPrevTimeSeconds	>=0	-1	4.10.4	( 0 ) , . -1 - ( ). . . "0", <b>archrestart</b> ( . ). "1", "2", .., <b>archrestart</b> + . . 20 , ( ) 2-4 , .. , , , .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	archenterpause	0, 1	0	4.8.3	. 1 – , . 0 – . . .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	FastIndex	0, 1	0	4.9.9-4.10.2	. 64 , .
			1	4.10.4	, VIDEO <b>fastIndex.index</b> , . 0 – , . 1 – , .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	LButtonClickContinuousPlayEnable	0, 1	0	4.10.3	: <b>0</b> – , . <b>1</b> – , .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	MonitorPlaybackControlByMouseWheel	0, 1	0	4.10.3	/ . 0 – . 0. 0. 1 – . / . .. , .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ConnectOnlyByClient	0, 1	0	4.10.3	, . , . 0 – . 1 – , . , , , ( . ). , , .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	MaximizeCameraOnDbkClk	0, 1	0	4.10.3	. , . 0 – . 1 – ( ). . . , , <b>MinimizeCameraOnDbkClk</b> .

<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	MinimizeCameraOnDbIClk	0, 1	0	4.10.3	MaximizeCameraOnDbIClk = 1 0 – 1 –
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	UseOneClkToMaximizeOrMinimizeCamera	0, 1	0	4.10.5	, MaximizeCameraOnDbIClk MinimizeCameraOnDbIClk 1. 0 – 1 –
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ContourAlways	*, all,	-	4.10.3	, – ( ). * <b>all</b> – (, "1,2,4") –
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	savemode	0, 1	-	4.10.3	( ) 0 – 1 – ( ).
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	clean_object_lists	0, 1	0	4.10.4	, 1 – 0 –
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ShowDisconnectState	0, 1	0	4.10.4	 0 – 1 – ,
<b>x32:</b> (x32)\Video\Deinterlace <b>x64:</b> (x64)\Video\Deinterlace	<>.<>, , 4.1 – 1 4.	1, 2	-	4.10.4	. 1. , , Paxton, 2.
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	MonitorMultiDecompress	0, 1	1	4.10.4	, 0 – 1 – , , ,
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	DisableReplaceCam	0, 1	0	4.10.4	( , ). 0 – 1 –
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ApplyChinaEastWestFix	0, 1	0	4.10.5	 0 – 1 – -pan- CAM XXXX UPDATE_ABSOLUTE,

<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	UseNuma	0, 1	0	4.10.5	. 0 - . 1 - NUMA . . <i>ITV</i> .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	nosynt	0,1	0	4.10.5	ActiveX (. <a href="#">ActiveX CamMonitor.ocx</a> ) . , ActiveX , Web-, , . 0 - ActiveX . 1 - ActiveX .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	MonitorForwardSkipSpeed	>0	12	4.10.4	MonitorSkipArchFramesEnable (.). r 1 . , , 1
<b>x32:</b> (x32)\Video\FileSystem <b>x64:</b> (x64)\Video\FileSystem	FileReader.MMF	0, 1	0	4.10.4	0 – . 1 – .
<b>x32:</b> (x32)\Video\FileSystem <b>x64:</b> (x64)\Video\FileSystem	FileSystem.NotifyCoreFrameSkipped	0, 1	1	4.10.5	FRAME_SKIPPED (. <a href="#">CAM</a> ) 0 – FRAME_SKIPPED , . 1 – FRAME_SKIPPED , .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	< .MaxChannels> : RTSP.MaxChannels, HikVision(h.264). MaxChannels . , . .	>0	-	4.10.4 DP 3.52.2423	() . 64.
<b>32:</b> (X32)\Video <b>x64:</b> (x64)\Video	EnterEdgeStorageDirect	0, 1	0	4.10.4	" " . 0 - . 1 - " ", . , .
				4.10.5	Tab .
<b>32:</b> (x32)\Video <b>x64:</b> (x64)\Video	TouchScreenUpdateTimeout	> = 0	0	4.10.5	Play .
<b>32:</b> (x32)\Video <b>x64:</b> (x64)\Video	ShowNoDiscIconInMonitor	0, 1	1	4.10.5	, . 0 - , . 1 - , . . , .
<b>32:</b> (x32)\Video <b>x64:</b> (x64)\Video	DisableTelemetryOnDeactivate	0, 1	0	4.10.5	0 – , , . 1 – , , . . .
<b>32:</b> (x32)\Video <b>x64:</b> (x64)\Video	NoSaveTitles	0, 1	0	4.10.5	: 0 – . 1 – .

<b>32:</b> (x32)\Video <b>x64:</b> (x64)\Video	MaxSpeedValue		-	4.10.5	, . : 6 x6. 5 x4. 1 0 , 1/8, 1/4, 1/2. -10 x1/8, x1/10.
<b>32:</b> (x32)\Video <b>x64:</b> (x64)\Video	DecompressorTimeout	>0	30	4.10.5.3952 4.10.5.3958	, 1 . , .
<b>32:</b> (x32)\Video <b>x64:</b> (x64)\Video	DecompressorQueue	>0	30	4.10.5.3958 4.10.5.4075	. , , , 30 .
			-	4.10.5.4075	, DecompressorQueue.ByTime=0 (. )
<b>32:</b> (x32)\Video <b>x64:</b> (x64)\Video	DecompressorQueue.ByTime	>=0	1500	4.10.5.4075	. DecompressorQueue DecompressorQueue.ByTime=0.
<b>32:</b> (x32)\Video <b>x64:</b> (x64)\Video	StopAllButCurrent	>=0	0	4.10.5	: 0 – , , ( ) . 1 – , .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	TT_INITIAL	>0	1000	4.10.5	, .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	TT_AUTOPOP	>0	5000	4.10.5	, .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	hardcoded_hyperlink	URL-	-	4.10.5	Web- IP-. , Web- hardcoded_hyperlink/<cam_id>. , " http://localhost/". Web- IP- 1 http://localhost/1 . Web- IP-.
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	syncing_cams_max_number	>0	10	4.10.5	. , . - , . , 1, , .. , ..
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	IpStorageSyncDepthHours	>0	24	4.10.5	, . , 34 , 24, 24 . . SyncedTime Settings.xml.
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	MonitorSynchronizedFrameBuffer	>=0	-	4.10.5	. , fps . 0 – . >0 – .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	Video.ThreadAffinity.Main.CoreCPU	>=0	0	4.10.5	, . 0 – , . >=0 – .
<b>x32:</b> (x32)\Video <b>x64:</b> (x64)\Video	MonitorUpdateInterval	>0	-	4.10.5	. fps.
<b>x32:</b> (x32)\Video\FileSystem <b>x64:</b> (x64)\Video\FileSystem	FileSystem.MinMaxHoursFromNow	0, 1	1	4.10.5	(. ). 0 – . 1 – .



32: (X32)\Audio x64: (x64)\Audio	Gain_control	0, 1, 2	-	4.7.6	: 0 - 1 - ( , ) 2 - ( )
32: (X32)\Audio x64: (x64)\Audio	Max_file_len_sec	>= 0	600	4.7.4	(.)
32: (X32)\Audio\ Card\ «Card Name» x64: (x64)\Audio\Card\ «Card Name»	mix	0, 1	0	4.7.4	
32: (X32)\Audio x64: (x64)\Audio	AudioStreamLoggerEnable	0, 1	0	4.9.8	0 – . 1 , 0 – . .
32: (X32)\Audio x64: (x64)\Audio	AudioMaxDiffTime	>0	2000	4.10.5	(timestamps), IP-. , . . , , "" "" .
32: (X32)\Audio x64: (x64)\Audio	SpeakerLiveDelay	>0	2000	4.10.5	. , ( ). , , "" .

32: (x32) x64: (x64)	ChangePort	>= 0	.	4.7.3	., 20900 40900, 20900="40900".
32: (x32) x64: (x64)	CheckPingPeriod	> 0	10	4.7.4 4.10.2	. 4.10.3, .
32: (x32) x64: (x64)	CheckVersion	0, 1	0	4.7.4	: «connected version» . ,
32: (x32) x64: (x64)	Core IP Address	IP	-	4.7.3	, slave.exe
32: (x32) x64: (x64)	DBAttempts	1..	10	4.7.3	

<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	DebugLevel	0,1,2,3,4	0	4.7.3	: 0 – ;  1 – ;  2 – ;  3 – , ;  4 – , .
<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	DebugExtension		LOG	4.7.3	-
<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	DebugFlushPeriod	> = 0	500	4.7.4	- ()
<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	DebugOptions	10- : 0-255.	0x001 (.. 1)	4.7.3	( ) Tweaki.exe
<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	DebugQueueMaxLines	0 - 2147483647	2000	4.7.4	-. 500 ,
<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	DebugSize	>=100	100	4.7.3	, .
<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	DebugTime	0-2147483647	48	4.7.3	-
<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	DebugZipDays	>0	2	4.7.5	, , .gz.
<b>32:</b> (x32) <b>x64:</b> (x64)	defaultconnection	0, 1	1	4.7.4	, «»
<b>32:</b> (x32) <b>x64:</b> (x64)	DisableProtocol	0, 1	0	4.7.3	
<b>32:</b> (x32) <b>x64:</b> (x64)	DisableThreadStatQueue	0, 1	0	4.8.0	.  , . 1 .  :  <ul style="list-style-type: none"> <li>• 4.9.2 – F2</li> <li>• 4.9.3 – Alt+F2</li> </ul>
<b>32:</b> (x32) <b>x64:</b> (x64)	InstallFolder			4.7.3	
<b>32:</b> (x32) <b>x64:</b> (x64)	Ip_port	0, 1		4.7.6	, IP, «»
<b>32:</b> (x32) <b>x64:</b> (x64)	Language	0x0419	-	4.7.3	(0x0419 – )
<b>32:</b> (x32) <b>x64:</b> (x64)	LogIncommingMsg	0, 1		4.8.0	,
<b>32:</b> (x32) <b>x64:</b> (x64)	LogOutgoingMsg	0, 1		4.8.0	,
<b>32:</b> (x32) <b>x64:</b> (x64)	LogStatistics	0, 1		4.8.0	,

<b>32:</b> (x32) <b>x64:</b> (x64)	OnlyLocalProtocol	0, 1	0	4.7.3	
<b>32:</b> (x32) <b>x64:</b> (x64)	PeakWorkingSetSizeQuota	>=0	0	4.8.1	· · , , ·
<b>32:</b> (x32) <b>x64:</b> (x64)	PhotoCores	IP	-	4.7.3	()
<b>32:</b> (x32) <b>x64:</b> (x64)	PriorityClass	256, 128, 32768, 32, 16384, 64	16384	4.7.3	:  256 - realtime  128 - high  32768 - Above Normal  32 - normal  16384 - below Normal  64 - low
<b>32:</b> (x32) <b>x64:</b> (x64)	ShowCrashMessage	0, 1	0	4.7.5	
<b>32:</b> (x32) <b>x64:</b> (x64)	SyncTime	0, 1	0	4.7.3	,
<b>32:</b> (x32) <b>x64:</b> (x64)	Topmost	0, 1	1	4.7.4	splash-: 1 – splash- · , 0 –  4.10.0 splash- / , 4.10.1 ().
<b>32:</b> (x32) <b>x64:</b> (x64)	Type_view_dept_log	0,1,2	0	4.7.4	:  0 - : ; 1 - : [] ; 2 - : []
<b>32:</b> (x32) <b>x64:</b> (x64)	URAttempts	0 - 10000	3	4.7.3	
<b>32:</b> (x32) <b>x64:</b> (x64)	URDelay	0 - 10000	60	4.7.3	(.)
<b>32:</b> (x32) <b>x64:</b> (x64)	virtualgrabber	0, 1	0	4.7.6	
<b>32:</b> (x32) <b>x64:</b> (x64)	SyncNotEmpty	0, 1	0	4.8.5	:  1 – ;  0 – .
<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	counter_period	>=0	0	4.9.0	, - , · 0, ·
<b>x32:</b> (x32)\IntellectRunService <b>x64:</b> (x64)\IntellectRunService	RestartIntellectOnLogonDisable	0, 1	0	4.9.0	1 – «», · , IntellectUsers.  0 – «», · , IntellectUsers.

<b>x32:</b> (x32)\IntellectRunService <b>x64:</b> (x64)\IntellectRunService	CheckUserForRestartIntellectDisable	0, 1	-	4.9.0	0 – «», , , IntellectUsers. 1 – «», , , IntellectUsers. , , «» .
<b>x32:</b> (x32) <b>x64:</b> (x64)	ShowHiddenObjects	0, 1	0	4.9.0	0 – , IntegratedAudioSource IntegratedVideoSource, Integrated device, «». 1 – «», «».
<b>x32:</b> (x32) <b>x64:</b> (x64)	InheritServiceEnviroment	0, 1	-	4.8.8	MS failover cluster.
<b>x32:</b> (x32)\IntellectRunService\ <b>x64:</b> (x64)\IntellectRunService\ 	InheritServiceEnvironment	0, 1	-	4.9.0	MS failover cluster.
<b>x32:</b> (x32) <b>x64:</b> (x64)	SortCamsById	0, 1	-	4.8.8	. 1 – ID; 0 – .
<b>x32:</b> (x32) <b>x64:</b> (x64)	EventProcessingThreads	>=0	0	4.9.0	.
		0-8		4.10.4	
<b>32:</b> (x32)\Debug <b>x64:</b> (x64)\Debug	DumpYUV	0, 1	-	4.9.0.959	, . \StreamLabs (motionWavelet7.1). Modules ( ) . : WxH_hv_chunk_yuv W – ; H – ; h – v – - . , , 640x480 YUV420 640x480_22_chunk_0.yuv
<b>x32:</b> (x32) <b>x64:</b> (x64)	settings_height	>0,	438		
<b>x32:</b> (x32) <b>x64:</b> (x64)	settings_width	>0,	600		
<b>x32:</b> (x32) <b>x64:</b> (x64)	ATMSendSetup	0, 1	1	4.9.3	0- SETUP (ATM) , . 1- SETUP () , .
<b>x32:</b> (x32) <b>x64:</b> (x64)	RegisterF10andF11	0, 1	1	4.9.2	1- F10 F11 ( . ). 0- F10 F11 . . . F10 F11 , \HKEY_CURRENT_USER\Software\ITV\Intellect. , F10 F11 , , (x32)/(x64).

<b>x32:</b> (x32) <b>x64:</b> (x64)	DisableF8	0, 1	0	4.10.4	0 - F8 . 1 - F8 . . F8 , \HKEY_CURRENT_USER\Software\ITV\Intellect. , F8 , , (x32)/(x64).
<b>x32:</b> (x32) <b>x64:</b> (x64)	check_digital	0, 1	0	4.8.0	1 .
<b>x32:</b> (x32) <b>x64:</b> (x64)	CONNECT_ATTEMPTS	>=1	1	4.9.4	. .
<b>x32:</b> (x32) <b>x64:</b> (x64)	FLUSH_TIMER_TIMEOUT	>0	, 10.	4.9.4	. ( ) . .
<b>x32:</b> (x32) <b>x64:</b> (x64)	UnloadDelay	0 60000	5000	4.9.5	Guardant . FORCED_OFF SLAVE, , . UnloadDelay = 0, ,../, , .
<b>x32:</b> (x32) <b>x64:</b> (x64)	SortSubItems	0, 1	1	-	: 0 - . 1 - . 1. , , , 115" "15",.. 115" , "15" 5. 2. .
<b>x32:</b> (x32) <b>x64:</b> (x64)	ShowSmallBarAlways	0, 1	0	4.10.1	. 0 - . 1 - .
<b>x32:</b> (x32) <b>x64:</b> (x64)	UpdateProtocolPeriod	> 0	-	4.10.2	. , , ClearProtocolFromCurrentTime (. ). , , 00 00 .
<b>x32:</b> (x32) <b>x64:</b> (x64)	permissible_memory_limit	>0	-	4.10.3	, . , - .
<b>x32:</b> (x32) <b>x64:</b> (x64)	MsgCompressOn	0, 1	0	4.10.3	: 0 - . 1 - (zip ). .
<b>x32:</b> (x32) <b>x64:</b> (x64)	user_card_info_on	0, 1	0	4.10.3	/, ACFA . , . 0 - . 1 - param1 . . . 4.10.3 "" - .

<b>x32:</b> (x32) <b>x64:</b> (x64)	CriticalErrGui	0, 1	0	4.10.3	(. Debug ). 0 – Debug 4. 1 – .
<b>x32:</b> (x32) <b>x64:</b> (x64)	IntellectCloseTimeout	>0	60000	4.8.3	. intellect.exe , . 60 .
<b>x32:</b> (x32) <b>x64:</b> (x64)	SaveIncommingMsg	0, 1	0	4.7.8	log-. <>.exe.cd.log. , , intellect.exe <a href="#">intellect.exe.cd.log</a> , itvscript.exe <a href="#">itvscript.exe.cd.log</a> — Modules. log- 4, .bak — <>.exe.cd.log.bak. . . . 0 – . 1 – .
<b>x32:</b> (x32) <b>x64:</b> (x64)	BackupFolder		-	4.7.6	, idb.exe. , : \ Documents and Settings\AVP\ \Backup , UNC- , , \\ServerName\ShareName. , , , , SQL Server. .
<b>32 x64:</b> HKEY_LOCAL_MACHINE\SOFTWARE\ Microsoft\Windows NT\CurrentVersion\Winlogon	Shell		explorer.exe	4.10.5	"explorer" ( , , "testexplorertest" "123explorertest125"), ... . .
<b>x32:</b> (x32)\IntellectRunService <b>x64:</b> (x64)\IntellectRunService	IntellectUserGroup			4.10.0	IntellectUsers, .
<b>x32:</b> (x32) <b>x64:</b> (x64)	monitor_refresh_delay	10 - 3000	3000	4.10.5	. 500, . 500, 64 , .
<b>x32:</b> (x32) <b>x64:</b> (x64)	DisableUpdateProtocol	0, 1	0	4.7.5	UPDATE_PROTOCOL, ( ). 0 – UPDATE_PROTOCOL . 1 – UPDATE_PROTOCOL .
<b>x32:</b> (x32) <b>x64:</b> (x64)	max_disp_menu_items	>0	50	4.10.5	, , ( ). , .
<b>x32:</b> (x32) <b>x64:</b> (x64)	URM_ProcessWait	>0	10000	4.10.5	, , Video.run. .

x32: (x32) x64: (x64)	show_responsible	0, 1	0	4.10.5	( ) , :  • - . • - • -  .
x32: (x32) x64: (x64)	NotifyExpireLic	0, 1	0	4.10.5	, , (. SLAVE).
x32: (x32) x64: (x64)	sync_timeout	>0	600	4.10.5	, . . , . . .
x32: (x32)\Display x64: (x64)\Display	DISPLAY_MAX_NUM	1-1000	500	4.10.5	, .
x32: (x32)\ x64: (x64)\	RestPort	0 - 65535	10112	4.10.1 4.10.2	, HTTP-. . <a href="#">HTTP-</a> .
			0	4.10.3	

32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	Delay	> = 0	250	4.7.3	() . , . . .  IP-.
32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	JoysticThreshold	> = 0	5	4.7.6 HOTFIX	: , . «0», .. .
32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	max_speed	0-10	-	4.7.3 4.9.7	
32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	min_speed	0-10	-	4.7.3 4.9.7	
32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	PriorityDelay	> = 0	30000	4.7.3	()
32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	UseBoschOSRD40	0, 1	-	4.8.4	Bosch-Autodome
32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	PnPJoystick	0, 1	0	4.8.3	:  0 - . 1 - .
32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	Zenable	0, 1	1	4.7.7	(, Logitech Attack 3) - Z.  0 Z. 1 - .
32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	ZoomSpeed850	0, 1	1	4.9.2	panasonic-850: 1 - 50% 0 - 20%
32: (X32)\ TELEMETRY x64: (x64)\TELEMETRY	Zdirection	0, 1	0	4.7.6	Z.

32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	Ydirection	0, 1	0	4.7.6	Y.
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	Xdirection	0, 1	0	4.7.6	X.
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	WaitDelay	>= 0	0	4.7.5	, , , , , Axis 295. 100 300.
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	TelemetryDirectCommand	0, 1	1	4.9.8	: 1 – . 0 – , . . MonitorToTelemetryDirectCommand .
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	MonitorToTelemetryDirectCommand	0, 1	0	4.9.8	: 1 – . 0 – , . TelemetryDirectCommand : TelemetryDirectCommand = 1 ( ) MonitorToTelemetryDirectCommand = 1 (: 0) ! , . .
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	SendEventToCore	0, 1	0	4.10.0	. . 1 – TELEMETRY . 0 – .
32: (X32)\Video\CommonPresets x64: (x64)\Video\CommonPresets	ONVIF	0, 1	0	4.10.0	, , . ONVIF , IP- . 0 – , , . 1 – , , . : 1. (ID) (ID) 1 (. . 2). 2. - ( 0 1), 1. 0, . 1, ( , , ).
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	panas850_stop_duplicates	>0	-	4.10.2	, Panasonic-850 . , .

Player					
32: (X32)\Player x64: (x64)\Player	Wav_delay	> = 0	0	4.7.3	(.)



32: (X32)\ EventViewer x64: (x64)\EventViewer	Overlay	0, 1	1	4.7.3	,
32: (X32)\ EventViewer x64: (x64)\EventViewer	Topmost	0, 1	0	4.7.3	, : 0 - ; 1 -
32: (X32)\ EventViewer x64: (x64)\EventViewer	UserActivityTimeout	>0	3	4.10.3	, . 0, .

32: (X32)\ Subscribe x64: (x64)\Subscribe	-	(*) (.*)(.)		4.7.3	. , . ID. , , ID. : DEPARTMENT.1: «0» - , «1» - , “.*”, “DEPARTMENT”. , id “.*” , , , id , “.*” «0» , . .

32: (X32)\ DB Import x64: (x64)\ DB Import	ChunkSize	> 0 >=	32768	4.7.3	( ) ( )
32: (X32)\ DB Import x64: (x64)\ DB Import	CursorLocation	1, 2, 3	2	4.7.3	( ): 1 - ; 2 - 3 -
32: (X32)\ DB Import x64: (x64)\ DB Import	DwSleep	> = 0	1	4.7.3	( ) , 100%
32: (X32)\ DB Import x64: (x64)\ DB Import	FlagsLog	-	-	4.7.5	
32: (X32)\ DB Import x64: (x64)\ DB Import	MoveFirst	0	0	4.7.3	
32: (X32)\ events x64: (x64)\ events	Events_out	-	-	4.7.5	

<b>32:</b> (X32)\ events <b>x64:</b> (x64)\ events	Events_out2	-	-	4.7.5	
<b>32:</b> (X32)\ events <b>x64:</b> (x64)\ events	In	-	-	4.7.5	
<b>32:</b> (X32)\ events <b>x64:</b> (x64)\ events	PostedEvents	-	-	4.7.5	
<b>32:</b> (X32)\ events <b>x64:</b> (x64)\ events	PostedReacts	-	-	4.7.5	
<b>32:</b> (X32)\ events <b>x64:</b> (x64)\ events	Reacts_out	-	-	4.7.5	

<b>32:</b> (X32)\ Keyb <b>x64:</b> (x64)\Keyb	Prefix	VK_NUMPAD0	0x60	4.7.3	.
		VK_NUMPAD1	0x61		
		VK_NUMPAD2	0x62		
		VK_NUMPAD3	0x63		
		VK_NUMPAD4	0x64		
		VK_NUMPAD5	0x65		
		VK_NUMPAD6	0x66		
		VK_NUMPAD7	0x67		
		VK_NUMPAD8	0x68		
		VK_NUMPAD9	0x69		
		VK_MULTIPLY	0x6A		
		VK_ADD	0x6B		
		VK_SEPARATOR	0x6C		
		VK_SUBTRACT	0x6D		
		VK_DECIMAL	0x6E		
		VK_DIVIDE	0x6F		
		VK_F1	0x70		
		VK_F2	0x71		
		VK_F3	0x72		
		VK_F4	0x73		
		VK_F5			
		VK_F6			
		VK_F7			
		VK_F8			
		VK_F9			
		VK_F10			
		VK_F11			
		VK_F12			
		VK_F13			
		VK_F14			
		VK_F15			
		VK_F16			
		VK_F17			
		VK_F18			
		VK_F19			
		VK_F20			
		VK_F21			
		VK_F22			
		VK_F23			
		VK_F24			

			0x74		
			0x75		
			0x76		
			0x77		
			0x78		
			0x79		
			0x7A		
			0x7B		
			0x7C		
			0x7D		
			0x7E		
			0x7F		
			0x80		
			0x81		
			0x82		
			0x83		
			0x84		
			0x85		
			0x86		
			0x87		
<b>x32:</b> (X32)\Keyb <b>x64:</b> (x64)\Keyb	ProcessAll	0, 1	0		. ini-. , , : wparam<> NEW_KEY_PRESSED KEYB., a-z 65-90, 0-9 – 48-57.

<b>x32:</b> (X32)\Video\VMDA <b>x64:</b> (x64)\Video\VMDA	VMDA.inactiveInterval	>0	-	4.9.0	, . , VMDA . .
<b>x32:</b> (X32)\Video\VMDA <b>x64:</b> (x64)\Video\VMDA	VMDAEXT	0, 1	0	4.9.8	VMDA . . , , CPU . 0 – VMDA video.run. 1 – VMDA detector_ext.run. . <i>DetectorPack</i> ( >= 2.1.0)

<b>x32:</b> (X32)\Video\VMDA <b>x64:</b> (x64)\Video\VMDA	VMDAEXT.RAM	>0	300	4.9.8	VMDAEXT , detector_ext.run. .
<b>x32:</b> (X32)\Video\VMDA <b>x64:</b> (x64)\Video\VMDA	VMDA.useSpeedLimitTypeLessThan	id VMDA	-	4.10.4	id VMDA, , VMDA. 1. id , , VMDA. 2. id VMDA VMDA.useSpeedLimitTypeLessThan VMDA.useSpeedLimitTypeMoreThan (. ). WDMA .
<b>x32:</b> (X32)\Video\VMDA <b>x64:</b> (x64)\Video\VMDA	VMDA.useSpeedLimitTypeMoreThan	id VMDA	-	4.10.4	id VMDA, , VMDA. 1. id , , VMDA. 2. id VMDA VMDA.useSpeedLimitTypeMoreThan VMDA.useSpeedLimitTypeLessThan (. ). WDMA .
<b>32:</b> (X32)\Video\VMDA <b>x64:</b> (x64)\Video\VMDA	VMDA.ignoreAnalyticStream	0, 1	0	4.9.8	, Detector Pack. 0 - . 1 - . . , () .

Web-					
<b>x32:</b> (x32)\WebServer\ <b>x64:</b> (x64)\WebServer\ 	RequestTimeout	>0	10000	4.9.0	.
<b>x32:</b> (x32)\WebServer\ <b>x64:</b> (x64)\WebServer\ 	ConnectionTimeoutAt Idle	>0	30000	4.9.0	. .
<b>x32:</b> (x32)\WebServer\ <b>x64:</b> (x64)\WebServer\ 	TelemetryPriority	0 - 3	1	4.10.5	-. 0 – . 1 – 2 – 3 –

<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	NotUsingCash	0, 1	-	4.9.2	, , . , 1. , .
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	AlternativeSelect	0, 1	0	4.10.0	. 0 – . 1 – .
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	<id_>MiniMapB	>0	MiniMapT + 169	4.10.1	Y . - - ( MiniMap).
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	<id_>MiniMapL	>0		4.10.1	Y . - - ( MiniMap).
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	<id_>MiniMapR	>0	MiniMapL + 287	4.10.1	. - - ( MiniMap).
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	<id_>MiniMapT	>0	Y	4.10.1	. - - ( MiniMap).
<b>x32:</b> (x32)\Map\Minimap <b>x64:</b> (x64)\Map\Minimap	ShowOnMouseMove	0, 1	0	4.10.2	: 0 – . 1 – .
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	EventFontHeight		-8	4.10.3	.
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	InscribeEditor	0, 1	1	4.10.5	" " , - . 0 - , " ". 1 - , - " ".
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	HideAnalogName	0, 1	0	4.10.5	"Value = " . 0 - "Value = ". 1 - "Value = ".
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	TouchScreen	0, 1	0	4.10.5	. 0 – . 1 – .
<b>x32:</b> (x32)\Map\ <b>x64:</b> (x64)\Map\	MapBlinkUpdateTimeoutMS	>0	350	4.10.5	. . (350 ) 700 . , , , , 700 , . , .

<b>x32:</b> (x32)\MMS\	UseTls	0, 1	1	-	, TLS .
<b>x64:</b> (x64)\MMS\					

<b>x32:</b> (x32)\SMS\	ProcessFromSim	0, 1	, 0	4.9.4	1 , USB-, , RECEIVE SMS (. <a href="#">SMS</a> ). HUAWEI E173.
<b>x64:</b> (x64)\SMS\					<b>! SMS- SIM.</b> <b>! SMS- SIM, RECEIVE .</b>

<b>x32:</b> (x32)\Script\	DebugMaxLines	>=0	200	4.9.5	( . <a href="#">JScript</a> )).
<b>x64:</b> (x64)\Script\					
<b>x32:</b> (x32)\Script\	TerminateProcessOnHang	0, 1	1	4.10.4	0 – itvscript.exe ( ).
<b>x64:</b> (x64)\Script\					1 – itvscript.exe ( ).

<b>32:</b> (X32)\Video	UseRealTimeStamps		-	4.9.5 4.9.7	, (timestamps). ( ) .
<b>x64:</b> (x64)\Video					

32: (X32) \\Video\\VMDA x64: (x64) \\Video\\VMDA				4.9.8	
32: (X32)\\Video x64: (x64)\\Video	VMDA.unattendedObjectSensitivity	«id-».  – [1...25]  : unattendedObjectSensitivity="1.15,99.20,4.7"	7	4.9.5 4.9.7	/ .
32: (X32) \\Video\\VMDA x64: (x64) \\Video\\VMDA				4.9.8	
32: (X32)\\Video x64: (x64)\\Video	VMDA.unattendedObjectLongMemory	«id-.1».  unattendedObjectLongMemory ="1.1,1000.1,2.1,999.1,3.1,5.1,4.1,6.1,7.1,8.1"  «id-.0», .	-	4.9.5 4.9.7	, .
32: (X32) \\Video\\VMDA x64: (x64) \\Video\\VMDA				4.9.8	
32: (X32)\\Video x64: (x64)\\Video	VMDA.unattendedObjectTimeBeforeCheck	«id-».  : unattendedObjectTimeBeforeCheck ="4.20,1.10,3.40"	, ( . , ).	4.9.5 4.9.7	.
32: (X32) \\Video\\VMDA x64: (x64) \\Video\\VMDA				4.9.8	
32: (X32)\\Video x64: (x64)\\Video	determineNoise	0, 1	1	4.9.5 4.9.7	(1) (0) .
32: (X32) \\Video\\VMDA x64: (x64) \\Video\\VMDA				4.9.8	
32: (X32)\\Video x64: (x64)\\Video	VMDA.determineColorIdentity	0, 1	1	4.9.5 4.9.7	(1) (0) .  ( . ).
32: (X32) \\Video\\VMDA x64: (x64) \\Video\\VMDA				4.9.8	
32: (X32)\\Video x64: (x64)\\Video	determineHumanCar	.  : determineHumanCar ="1,1000,2,999,3,5,4,6,7,8"	-	4.9.5 4.9.7	, , .  determineGivenTaken determineHumanCar . .
32: (X32) \\Video\\VMDA x64: (x64) \\Video\\VMDA				4.9.8	
32: (X32)\\Video x64: (x64)\\Video	determineGivenTaken	.  : determineGivenTaken ="1,1000,2,999,3,5,4,6,7,8"		4.9.5 4.9.7	, / .  determineGivenTaken determineHumanCar . .
32: (X32) \\Video\\VMDA x64: (x64) \\Video\\VMDA				4.9.8	
32: (X32)\\Video x64: (x64)\\Video	VMDAFPS	>=-1	30	4.9.5 4.9.7	. -1 – 0 – , ( ). >0 – , .

<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA				4.9.8	
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	useLeftImprover	0, 1	-	4.9.8	; 0 – . 1 – . , . !    1 useFilterFrame (. ).
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	longShif	>=0	-	4.9.8	, , useLeftImprover 1. .
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	longShiftUpdateThreshold	>=0	-	4.9.8	, . , useLeftImprover 1. .
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	useLeftImproverGeometry	0, 1	-	4.9.8	-, . . , . , . . !    1 useFilterFrame (. ).
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	timeShift	>=0	-	4.9.8	, "" useLeftImproverGeometry. , , , .
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	timeLife	>=0	-	4.9.8	, - . useLeftImproverGeometry.
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	maxDeltaInside	0 - 255	-	4.9.8	, timeShift. , ( ), .
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	minDeltaOutside	0 - 255	-	4.9.8	, , , , . useLeftImproverGeometry. , ( ), .
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	useFilterFrame	0, 1	0	4.9.8	. , useLeftImprover useLeftImproverGeometry (. ). 1 – ; 0 – .
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	VMDA.determineNoise	0,1	1	4.10.3	.
<b>32:</b> (X32) \Video\VMDA <b>x64:</b> (x64) \Video\VMDA	VMDA.determineGivenTaken		-	4.10.3	VMDAEXT 1. . VMDA. .. <a href="#">CAM_VMDA_DETECTOR</a> .



<b>32:</b> (X32) \\Video\\VMDA <b>x64:</b> (x64) \\Video\\VMDA	VMDA.determineHumanCar		-	4.10.3	VMDAEXT 1. .. VMDA. .. <a href="#">CAM_VMDA_DETECTOR</a> .
<b>x32:</b> (x32)\\Video\\VMDA <b>x64:</b> (x64)\\Video\\VMDA	VMDA.filterGivenOrTaken	VMDA " ." . " ," ";"	-	4.10.5 DP 2.6	VMDAEXT 1 VMDA.determineGivenTaken. VMDA, . : 0 - () 1 - 2 - : __VMDA " ." _ : <b>1.0</b> " ," " ";" : <b>1.0;2.2;3.1</b>

AviExport					
<b>32:</b> (X32)\\Video\\AVI <b>x64:</b> (x64)\\Video\\AVI	UseCodecAXXN	0, 1	0	4.10.0	1 – <b>AVI</b> AXXN. 0 – . .. <a href="#">AviExport</a> .
<b>32:</b> (X32) \\Video\\AviExport <b>x64:</b> (x64) \\Video\\AviExport	ExportPriority	-2 2	-1	4.10.0	AviExport Video.run : -2 – (IDLE_PRIORITY_CLASS) -1 – (BELOW_NORMAL_PRIORITY_CLASS) 0 – (NORMAL_PRIORITY_CLASS) 1 – (ABOVE_NORMAL_PRIORITY_CLASS) 2 – (HIGH_PRIORITY_CLASS)
<b>32:</b> (X32) \\Video\\AviExport <b>x64:</b> (x64) \\Video\\AviExport	BookmarkMaxLen	>0 - (, "0,5")	-	4.10.3	, . , .
<b>32:</b> (X32)\\Video\\AVI64 <b>x64:</b> (x64)\\Video\\AVI64	SuspendDiskSizeUpdate	0, 1	0	4.10.5	, . /. 0 - . 1 - , . /.

<b>32:</b> (X32) \\Video\\AviExport <b>x64:</b> (x64) \\Video\\AviExport	ExportDir		C:\\export	4.10.0	, AviExport ( ).
<b>32:</b> (X32) \\Video\\AviExport <b>x64:</b> (x64) \\Video\\AviExport	UseTempDir		-	4.10.5	, . TempDirByDst 0 ( . ), ExportDir ( AviExport, . ) . <i>UseTempDir</i> . .
<b>32:</b> (X32) \\Video\\AviExport <b>x64:</b> (x64) \\Video\\AviExport	TempDirByDst	0, 1	1	4.10.5	UseTempDir ( . ). 0 – , UseTempDir. 1 – , ExportDir ( AviExport, . ).
<b>32:</b> (X32) \\Video\\AviExport <b>x64:</b> (x64) \\Video\\AviExport	SimpleDlgModeLock	0, 1	0	4.10.5	AviExport. AviExport ( ), 1. .

RTSP-					
<b>32:</b> (32)\\StreamingServer <b>x64:</b> (64)\\StreamingServer	def_port	>0	17000	4.9.9	UDP RTSP-RTP.
<b>32:</b> (32)\\StreamingServer <b>x64:</b> (64)\\StreamingServer	IpInterface	IP-	-	4.9.9	IP- , RTSP-
<b>32:</b> (32)\\StreamingServer <b>x64:</b> (64)\\StreamingServer	split_range	>0	1	4.10.1	"" RTSP-. , , , RTSP DESCRIBE (range), . . .
<b>32:</b> (32)\\StreamingServer <b>x64:</b> (64)\\StreamingServer	send_real_time	0, 1	0	4.10.1-4.10.3	, RTSP, VLC media player. . ! I, . . 4.10.4 VLC rtsp -. <i>RTSP</i> .
<b>32:</b> (32)\\StreamingServer <b>x64:</b> (64)\\StreamingServer	LogFrames	0, 1	1	4.10.1	RTSP-.

<b>32:</b> (32)\WebServer\ECHD\ <b>x64:</b> (64)\WebServer\ECHD\	ExportContainerFormat	mp4, avi, flv, mov, asf	mp4	4.10.1	HTTP API – . .
<b>32:</b> (32)\WebServer\ECHD\ <b>x64:</b> (64)\WebServer\ECHD\	AdditionalVersionString	, ,	-	4.10.5	, getdeviceinfo HTTP API firmware version.
<b>32:</b> (32)\WebServer\ECHD\ <b>x64:</b> (64)\WebServer\ECHD\	ReplacePointAndClick	0, 1	0	4.10.5	, ONVIF, degreesmove2 ( . ).
<b>32:</b> (32)\WebServer\ <b>x64:</b> (64)\WebServer\	TelemetryCommandMoveTimeout	>=0	-	4.10.5	degreesmove2, Point&Click ( . ).

<b>32:</b> (32)\MonitoringCenter\ <b>x64:</b> (64)\MonitoringCenter\	DefaultButtonWidth	>0	100	4.10.4	. .
<b>32:</b> (32)\MonitoringCenter\ <b>x64:</b> (64)\MonitoringCenter\	DefaultRowHeight	>0	70	4.10.4	. .
<b>32:</b> (32)\MonitoringCenter\ <b>x64:</b> (64)\MonitoringCenter\	ButtonFontHeight		-11	4.10.4	.
<b>32:</b> (32)\MonitoringCenter\ <b>x64:</b> (64)\MonitoringCenter\	clrButtonAccept	#RRGGBB	#FFFFFF	4.10.4	#RRGGBB, #FFFFFF ( ) –, #00FF00 –
<b>32:</b> (32)\MonitoringCenter\ <b>x64:</b> (64)\MonitoringCenter\	clrButtonClose	#RRGGBB	#FFFFFF	4.10.4	#RRGGBB, #FFFFFF ( ) –, #00FF00 –
<b>32:</b> (32)\MonitoringCenter\ <b>x64:</b> (64)\MonitoringCenter\	CancelByServerEnable	>=0	-	4.10.4	web- . , , , . 0 – . >0 – .

<b>VideoIQ7.</b>					
<b>32:</b> (32)\Video\Defragmentation <b>x64:</b> (64)\Video\Defragmentation	IntervalMinutes	> = 0	60	1.0.2	(.).
<b>32:</b> (32)\Video\Defragmentation <b>x64:</b> (64)\Video\Defragmentation	IntervalOnStartMinutes	> = 0	60	1.0.2	(.).
<b>32:</b> (32)\Video\Defragmentation <b>x64:</b> (64)\Video\Defragmentation	MaxFileFragmentsAllowed	> = 0	10	1.0.2	*.db3 . , idx.db3 detectorevent.db3 ( ). *.db3 ,

<b>32:</b> (32)\Video\Defragmentation <b>x64:</b> (64)\Video\Defragmentation	ModeForFull	0 - 10	4	1.0.4	, *.db3.
<b>32:</b> (32)\Video\Defragmentation <b>x64:</b> (64)\Video\Defragmentation	Mode	0-10	2	1.0.4	0- , 1 - , 2 - , 3 - . , 4 - 5 - 6 - 7 - ( ) 8 - ( ) 9 - ( ) 10 - ( )
<b>32:</b> (32)\Video\Defragmentation <b>x64:</b> (64)\Video\Defragmentation	ModeForPartial	0-10	3	1.0.4	, .
<b>32:</b> (32)\Video\Defragmentation <b>x64:</b> (64)\Video\Defragmentation	FreeSpace	0 - 10	1	1.0.4	(% ).
<b>32:</b> (32)\Video\Defragmentation <b>x64:</b> (64)\Video\Defragmentation	Speed	0 - 100	3	1.0.4	(%).
<b>32:</b> (32)\Video\Defragmentation <b>x64:</b> (64)\Video\Defragmentation	ThreadPriority	0 - THREAD_PRIORITY_LOWEST 1 - THREAD_PRIORITY_BELOW_NORMAL 2 - THREAD_PRIORITY_NORMAL 3- THREAD_PRIORITY_ABOVE_NORMAL	0	1.0.4	.
<b>32:</b> (32)\Debug <b>x64:</b> (64)\Debug		-	-	1.0.4	, -, , video.exe, : SOFTWARE\ITV\INTELLECT\Debug\ video.exe.
<b>32:</b> (32)\Debug <b>x64:</b> (64)\Debug	Filter		-	1.0.4	, .
<b>32:</b> (32)\LMCGate <b>x64:</b> (64)\LMCGate	SmartSearch	0, 1	1	4.8.0	, : 0 – ; 1-
<b>32:</b> (32)\Video <b>x64:</b> (64)\Video	scene	0, 1	1	1.0.5 SP1	.
<b>32:</b> (32)\Video <b>x64:</b> (64)\Video	momentquest	0, 1	1	1.0.5 SP1	MomentQuest (0 – ).