



LDAP

LDAP :

1. LDAP.



2. LDAP, LDAP.
(1).

A screenshot of the 'Настройки LDAP' (LDAP Settings) configuration form. The fields are numbered 1 through 11:

- 1: Название (Name): LDAP 1
- 2: Имя или IP-адрес сервера (Server name or IP address): ldap.postland.org
- 3: Порт (Port): 636
- 4: Базовый DN (Base DN): ou=Address,dc=itvgroup,dc=ru
- 5: Пользователь (User): uid=your.login,ou=Users,dc=itvgroup,dc=ru
- 6: Пароль (Password): *****
- 6: Использовать защищённое соединение (SSL)
- 7: Фильтр поиска (Search filter): (objectClass=person)
- 10: Шаблоны LDAP (LDAP templates): OpenLDAP, Microsoft Active Directory
- 8: Атрибут имени пользователя (User name attribute): cn
- 9: Атрибут DN (DN attribute): entrydn
- 11: Роль для авто-регистрации пользователя (Role for auto-registration of user):

3. LDAP (2) (3).
4. DN DN (Distinguished Name), (4).

 !

LDAP , .

DN .

, LDAP , , .

DN : ou=,ou=,dc=example,dc=com.

DN : ou=,ou=,dc=example,dc=com.

DN : ou=,ou=,dc=example,dc=com.

5. , DN, LDAP (RDN + DN) (5).
6. (SSL) LDAP, (6).
7. (7).

 !

, , MemberOf :

(&(objectClass=user)(memberof=CN=YourGroup,OU=Users,DC=YourDomain,DC=com))

8. , (8).

 sAMAccountName - samaccountname

9. DN , DN (9).



DN LDAP Microsoft Active Directory OpenLDAP. (10).

- 10. , , LDAP (11). , .
- 11. .

LDAP .

. , . . .

cn	entrydn
alexey dyndalev	cn=alexey dyndalev,ou=qa,ou=Groups,dc=example,dc=com
andrey vasiliev	cn=andrey vasiliev,ou=dev,ou=Groups,dc=example,dc=com
danil serov	cn=danil serov,ou=dev,ou=Groups,dc=example,dc=com
ilya smirnov	cn=ilya smirnov,ou=it,ou=common,ou=Groups,dc=example,dc=com
name1 surname1	cn=name1 surname1,ou=load,ou=Groups,dc=example,dc=com
name2 surname2	cn=name2 surname2,ou=load,ou=Groups,dc=example,dc=com
name3 surname3	cn=name3 surname3,ou=load,ou=Groups,dc=example,dc=com