



1. **Sql Server Configuration Manager** (: -> -> Microsoft SQL Server 2008 -> Configuration Tools -> SQL Server Configuration Manager).
2. , **SQL Server Agent** (. , 3-5).
3. **Microsoft Sql Server Management Studio** , , (1).
4. **Replication** (2), **Local Subscriptions** (3).
5. **New Subscriptions**.



6. **New Subscription Wizard**.
7. **Publisher** (1).



Find SQL Server Publisher.



8. Databases and publication (1).



9. Next > (2).
10. Merge Agent Location.
11. Subscribers Subscriber (1).

New Subscription Wizard

Subscribers
Choose one or more Subscribers and specify each subscription database.

Subscribers and subscription databases:

Subscriber	Subscription Database
☒ LEAD	


LEAD 1

Add SQL Server Subscriber...

 You must enter a subscription database name for Subscriber 'LEAD'.

Help < Back Next > Finish >> Cancel

12. Subscription Database (1).




13. SQL Server Add SQL Server Subscriber... (2).

14. Merge Agent Security.

14.1 Run under SQL Server Agent service account (This is not recommended security best practice.) (1).

14.2 OK (2).



The image shows a Windows dialog box titled "Merge Agent Security". The dialog has a blue title bar with a close button. The main area is light gray. At the top, it says "Specify the domain or machine account under which the Merge Agent process will run when synchronizing this subscription." Below this, there are two radio button options. The first is "Run under the following Windows account:" with fields for "Process account:" (with an example "domain\account"), "Password:", and "Confirm Password:". The second option, which is selected, is "Run under the SQL Server Agent service account (This is not a recommended security best practice.)". This second option is circled in black and has a large number "1" to its right. Below these options is a section "Connect to the Publisher and Distributor" with two radio button options: "By impersonating the process account" (selected) and "Using a SQL Server login". Below this is a section "Connect to the Subscriber" with two radio button options: "By impersonating the process account" (selected) and "Using the following SQL Server login:". The "Using the following SQL Server login:" option has fields for "Login:", "Password:", and "Confirm password:". Below these fields is a note: "The login used to connect to the Subscriber must be a database owner of the subscription database." At the bottom of the dialog, there are three buttons: "OK", "Cancel", and "Help". The "OK" button is circled in black and has a large number "2" above it.

Merge Agent Security

Specify the domain or machine account under which the Merge Agent process will run when synchronizing this subscription.

☐ Run under the following Windows account:

Process account:

Example: domain\account

Password:

Confirm Password:

☒ Run under the SQL Server Agent service account (This is not a recommended security best practice.) **1**

Connect to the Publisher and Distributor

☒ By impersonating the process account

☐ Using a SQL Server login

The connection to the server on which the agent runs must impersonate the process account. The process account must be a member of the Publication Access List.

Connect to the Subscriber

☒ By impersonating the process account

☐ Using the following SQL Server login:

Login:

Password:

Confirm password:

The login used to connect to the Subscriber must be a database owner of the subscription database.

2

15. Next>.

16. Synchronization Schedule Run continuously Agent Schedule (1).

New Subscription Wizard

Synchronization Schedule
Specify the synchronization schedule for each agent.

Agent schedule:

Subscriber	Agent Location	Agent Schedule
LEAD	Distributor	Run continuously

1

2

Help < Back **Next >** Finish >>| Cancel

17. Next> (2).

18. Synchronization Schedule <Define schedule...> Agent Schedule (1).

New Subscription Wizard

Synchronization Schedule
Specify the synchronization schedule for each agent.

Agent schedule:

Subscriber	Agent Location	Agent Schedule
LEAD	Distributor	<Define schedule...>

1

2

Help < Back **Next >** Finish >>| Cancel

- 18.1 New Job Schedule.

New Job Schedule

Name: Jobs in Schedule

Schedule type: Recurring ☐ Enabled

One-time occurrence

Date: 31.08.2010 Time: 13:56:53

Frequency

Occurs: Daily 1

Recurr every: 1 day(s) 2

Daily frequency

Occurs once at: 0:00:00 3

Occurs every: 5 minute(s) 4

Starting at: 0:00:00 5

Ending at: 23:59:59 6

Duration

Start date: 31.08.2010 7

End date: 31.08.2010 8

No end date: 9

Summary

Description: Occurs every day every 5 minute(s) between 0:00:00 and 23:59:59. Schedule will be used starting on 31.08.2010. 10


11 OK Cancel Help

- 18.2 Occurs: (1).
- 18.3 - Recurr every (2).
- 18.4 Occurs once at Occurs every (3-4). -.
- 18.5 Occurs every, Starting at (5) Ending at (6).
- 18.6 Duration Start date: (7).
- 18.7 End date: (8) No end date: (9), .
- 18.8 Description (10).
- 18.9 OK (11).
19. Next> (2).

20. Initialize Subscription :

20.1 Initialize (1).

20.2 Initialize (1).



21. Next> (2).

22. Client Subscription Type Subscription Type (1).



23. Finish (2).

24. Creating Publication .

25. New Subscription Wizard Close.

