

:

- gRPC API
- PostgreSQL
 - PostgreSQL Axxon Next
 - PostgreSQL

Axxon Next , gRPC API PostgreSQL (, Axxon Next).

gRPC API

gRPC API NGP_NATIVE_BL_PORT , (10.).

(.).

PostgreSQL

Axxon Next 4.5.0 PostgreSQL 20110. (.) 49998.

2 :

1. Axxon Next PostgreSQL .
2. .

PostgreSQL Axxon Next

:

1. Axxon Next (.).
2. PostgreSQL.
3. :\\Program Files\\Common Files\\AxxonSoft\\ , PostgreSQL.NGP.
4. HKEY_LOCAL_MACHINE\\SOFTWARE\\PostgreSQL\\.
5. .
6. Axxon Next (.).

PostgreSQL

PostgreSQL , :

1. .
2. Axxon Next:

```
powershell -Command "get-service NGP_* | stop-service"
```

3. PostgreSQL:

```
powershell -Command "get-service postgresql* | stop-service"
```

4. postgresql.conf, C:\\Program Files\\Common Files\\AxxonSoft\\PostgreSQL.NGP\\Data.
5. port = 49998 20110.
6. .
7. HKLM\\SOFTWARE\\PostgreSQL\\Services\\postgresql-9.5. 9.5.
8. Port 49998 20110.
9. :



Axxon Next (.). , .

```
set CONFIG_PATH=C:\ProgramData\AxxonSoft\AxxonNext
```

```
set InstallDir=C:\Program Files\AxxonSoft\AxxonNext
```

```
cd "%CONFIG_PATH%\Config.local\config_repo\EventDatabase.0\"
```

```
powershell -Command "(gc main.conf) -replace '<port>49998</port>', '<port>20110</port>' | Out-File -encoding ASCII main.conf"
```

```
cd "%CONFIG_PATH%\Config.local\config_repo\"
```

```
"%InstallDir%\bin\hg.exe" commit --verbose "--message=change DB port" --user "Manual change DB" --EventDatabase.0/main.conf
```

```
cd "%CONFIG_PATH%\Config.local\clone_config_repo\EventDatabase.0\"
```

```
powershell -Command "(gc main.conf) -replace '<port>49998</port>', '<port>20110</port>' | Out-File -encoding ASCII main.conf"
```

```
cd "%CONFIG_PATH%\Config.local\clone_config_repo\"
```

```
"%InstallDir%\bin\hg.exe" commit --verbose "--message=change DB port" --user "Manual change DB" --EventDatabase.0/main.conf
```

10. C:\ProgramData\AxxonSoft\AxxonNext\Config.local\config_repo\ObjectSearcher.0 main.conf <port>49998</port>, :

```
cd "%CONFIG_PATH%\Config.local\config_repo\ObjectSearcher.0\"
powershell -Command "(gc main.conf) -replace '<port>49998</port>', '<port>20110</port>' | Out-File -encoding ASCII main.conf"
```

```
cd "%CONFIG_PATH%\Config.local\config_repo\"
"%InstallDir%\bin\hg.exe" commit --verbose "--message=change DB port" --user "Manual change DB" --ObjectSearcher.0/main.conf
```

```
cd "%CONFIG_PATH%\Config.local\clone_config_repo\ObjectSearcher.0\"
powershell -Command "(gc main.conf) -replace '<port>49998</port>', '<port>20110</port>' | Out-File -encoding ASCII main.conf"
```

```
cd "%CONFIG_PATH%\Config.local\clone_config_repo\"
"%InstallDir%\bin\hg.exe" commit --verbose "--message=change DB port" --user "Manual change DB" --ObjectSearcher.0/main.conf
```

- main.conf port, .
11. C:\ProgramData\AxxonSoft\AxxonNext\Config.local\config_repo\RealtimeRecognizer.0 main.conf <port>49998</port>, :

```
cd "%CONFIG_PATH%\Config.local\config_repo\RealtimeRecognizer.0\"
powershell -Command "(gc main.conf) -replace '<port>49998</port>', '<port>20110</port>' | Out-File -
encoding ASCII main.conf"
```

```
cd "%CONFIG_PATH%\Config.local\config_repo\"
"%InstallDir%\bin\hg.exe" commit --verbose "--message=change DB port" --user "Manual change DB" --
RealtimeRecognizer.0/main.conf
```

```
cd "%CONFIG_PATH%\Config.local\clone_config_repo\RealtimeRecognizer.0\"
powershell -Command "(gc main.conf) -replace '<port>49998</port>', '<port>20110</port>' | Out-File -
encoding ASCII main.conf"
```

```
cd "%CONFIG_PATH%\Config.local\clone_config_repo\"
"%InstallDir%\bin\hg.exe" commit --verbose "--message=change DB port" --user "Manual change DB" --
RealtimeRecognizer.0/main.conf
```

- main.conf **port,** .
12. C:\ProgramData\AxxonSoft\AxxonNext\Config.local\config_repo\VMDA2_DB.0 main.conf <port>49998</port>, :

```
cd "%CONFIG_PATH%\Config.local\config_repo\VMDA2_DB.0\"
powershell -Command "(gc main.conf) -replace '<pg_port>49998</pg_port>', '<pg_port>20110</pg_port>' |
Out-File -encoding ASCII main.conf"
```

```
cd "%CONFIG_PATH%\Config.local\config_repo\"
"%InstallDir%\bin\hg.exe" commit --verbose "--message=change DB port" --user "Manual change DB" --
VMDA2_DB.0/main.conf
```

```
cd "%CONFIG_PATH%\Config.local\clone_config_repo\VMDA2_DB.0\"
powershell -Command "(gc main.conf) -replace '<pg_port>49998</pg_port>', '<pg_port>20110</pg_port>' |
Out-File -encoding ASCII main.conf"
```

```
cd "%CONFIG_PATH%\Config.local\clone_config_repo\"
"%InstallDir%\bin\hg.exe" commit --verbose "--message=change DB port" --user "Manual change DB" --
VMDA2_DB.0/main.conf
```

- main.conf **port,** .
13. PostgreSQL:

```
powershell -Command "get-service postgresql* | start-service"
```

14. Axxon Next:

```
powershell -Command "get-service NGP_* | start-service"
```