

-
-
-
-
-
- [Player](#)
-
-
-
-
- [Web-](#)
-
- [\(e-mail\)](#)
- [\(SMS\)](#)
-
-
- [AviExport](#)
- [RTSP-](#)
-
-
-
- [HTML](#)
- [SIP-](#)
- [ONVIF-](#)
- [VideoIQ7.](#)

:

(32) – HKEY_LOCAL_MACHINE\SOFTWARE\ITV\INTELLECT\
(x64) – HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\ITV\INTELLECT\

Windows , [Windows](#).

32: (X32)\Video x64: (x64)\Video	AcsStdLimit	1-30	1	4.8.0	MJPEG. , , , .
32: (X32)\Video x64: (x64)\Video	AcsMpegLimit	1-30	25	4.8.0	H.264/MPEG4. , , , .

32: (X32)\Video x64: (x64)\Video	Activecam	0, 1	1	4.7.3	,
32: (X32)\Video x64: (x64)\Video	ActivateTelemetryHotkeys	0, 1	0	4.8.2	,
32: (X32)\Video x64: (x64)\Video	AdaptiveClientFrameSkip	0, 1	1	4.8.2	0 .
32: (X32)\Video x64: (x64)\Video	AdaptivePlayer	0, 1	0	4.7.6. HOTFIX build 214	. , AdaptivePlayer. : .
32: (X32)\Video x64: (x64)\Video	FastPlayStep	1-6	1	4.8.0	. : 3, x6 (.. x6, x12, x18 ..), 5 – x10. = x60. AdaptivePlayer
32: (X32)\Video x64: (x64)\Video	allclientsbps	>=0	0	4.7.6	-: 0 – ; >0 – Video.run
32: (X32)\Video x64: (x64)\Video	AllowDelete	0, 1	0	4.7.3	Del
32: (X32)\Video x64: (x64)\Video	AlwaysServerConnection	0, 1	1	4.7.3	,
32: (X32)\Video\ArchDays x64: (x64)\Video\ArchDays	<id >	> = 0	0	4.7.5	.
32: (X32)\Video x64: (x64)\Video	ArchStatus	0, 1	1	4.7.3	,
32: (X32)\Video x64: (x64)\Video	archsync	> 0	1	4.9.5, 4.8.10	, . 0 . > 0 . , 1. / , ,
32: (X32)\Video x64: (x64)\Video	Cfg	-	name	4.7.3	
32: (X32)\Video x64: (x64)\Video	CheckLostFolders	0, 1	0	4.7.3	,
32: (X32)\Video x64: (x64)\Video	Compression	0, 1	1	4.8.0	, ,
32: (X32)\Video x64: (x64)\Video	DebugCam._	0, 1	0	4.7.7	0 – 1 –
32: (X32)\Video x64: (x64)\Video	DecompressThread	-	-		
32: (X32)\Video x64: (x64)\Video	DecompressWidth< >		-	4.7.3	, <_> ., DecompressWidth1 = 3000 1 3000 .

32: (X32)\Video x64: (x64)\Video	Delta	0, 1	1	4.7.3	
32: (X32)\Video x64: (x64)\Video	Demo	0, 1	0	4.7.3	, ,
32: (X32)\Video x64: (x64)\Video	DetectionFps	0.3...30	-	4.7.8	fps, .. , . , ., GOP (group of pictures,) = 64, .. 65- , 65- . (FPS GOP) , , . , . , , . ! , <i>fps</i> . : • 20 fps DetectionFps 10 10 ; • 20 fps DetectionFps 20 20 ; • 25 fps DetectionFps 20 ~ 12..13 .
32: (X32)\Video x64: (x64)\Video	DisconnectInactive	0, 1	0	4.8.0 HotFix	, , : 1 – () 0 –
x32: (x32)\Video x64: (x64)\Video	AsyncConnection	0, 1	1	4.8.0 HotFix	. 0 – 1 –
32: (X32)\Video x64: (x64)\Video	EnableSnapShotMode	0, 1	0	4.7.3	snapshot, Axis D-link 900,
32: (X32)\Video x64: (x64)\Video	ExportDir		moduledir + "export"	4.7.3	–. (, AviExport). , Tweaky (.)
32: (X32)\Video x64: (x64)\Video	ExportTime	> = 0	0	4.7.3	() snapshot jpg
32: (X32)\Video x64: (x64)\Video	FreeMB	> 0	5000	4.9.5	, . . , , 15000.
32: (X32)\Video x64: (x64)\Video	FreeMbCritical	>0	1000	4.9.5	, .
32: (X32)\Video x64: (x64)\Video	ArchFreeMB	>0	-	4.8.8	, , . , , FreeMB
32: (X32)\Video x64: (x64)\Video	GateNoRec	0, 1	0	4.7.3	,
32: (X32)\Video x64: (x64)\Video	Hide	0, 1	1	4.7.3	" " : 0 –, 1 –
32: (X32)\Video x64: (x64)\Video	HideMask	0, 1	0	4.7.3	,

32: (X32)\Video x64: (x64)\Video	Hubslovspeed	0, 1	0	4.7.3	wavehub. fps.
32: (X32)\Video x64: (x64)\Video	HWCompression	-	3		
32: (X32)\Video x64: (x64)\Video	Index	-	2	4.7.3	, . , ..
32: (X32)\Video x64: (x64)\Video	IsPeriod	0, 1	0	4.7.3	: 1 – « » « 1 » « 1 » 0 –
32: (X32)\Video x64: (x64)\Video	Layout	-	-	4.7.3 4.11.0	
32: (X32)\Video\Layouts x64: (x64)\Video\Layouts	layout<>	-	-	4.11.0	.
32: (X32)\Video x64: (x64)\Video	LH_Timeout	5-2147483647	5	4.7.3	, , Linux Hub . – 5 . (LH_Timeout*1000/5), Linux Hub: – , LH
32: (X32)\Video x64: (x64)\Video	ManualBrightnessControl	0, 1	1	4.7.7	- IP-; 1 – - IP 0 – -
32: (X32)\Video x64: (x64)\Video	MaxFrames	1500-10000	1500	4.11.0	
		500-10000	500	4.7.3	
32: (X32)\Video x64: (x64)\Video	Missed	0 – 2,147,483,647	"mode"	4.7.3	.
32: (X32)\Video x64: (x64)\Video	NewCompressor	0, 1	1	4.7.3	, , motionWavelet: 0 – ; 1 – ,
32: (X32)\Video x64: (x64)\Video	NewMD	0, 1	0	4.7.6	,
32: (X32)\Video x64: (x64)\Video	Noallcamsbutton	0, 1	0	4.7.3	, " "
32: (X32)\Video x64: (x64)\Video	NoLayoutControl	0, 1	0	4.7.5	F1,F2, ()
32: (X32)\Video x64: (x64)\Video	No_main_panel	0, 1	0	4.7.3	,
32: (X32)\Video x64: (x64)\Video	Nosign	0, 1	0	4.7.6	

32: (X32)\Video x64: (x64)\Video	OldDriver	KV1999 KV2000 KV2001 KV2002 KV2003		4.7.3	ISS
32: (X32)\Video x64: (x64)\Video	Oldxeon	0, 1	0	4.7.6	eon
32: (X32)\Video x64: (x64)\Video	Onevideoout	0, 1	0	4.7.3	, FS6
32: (X32)\Video x64: (x64)\Video	PostAlarmTime	>= 0	2	4.7.3	(.), IP- Axis
32: (X32)\Video x64: (x64)\Video	PreCompress	0, 1	1	4.7.3	,
32: (X32)\Video x64: (x64)\Video	PrintFontSize		0	4.7.3	
32: (X32)\Video x64: (x64)\Video	Rbapp	-	-	4.7.3	,
32: (X32)\Video x64: (x64)\Video	IndexRebuilding	0, 1	0	4.7.6	. IndexRebuilding=1, idx
32: (X32)\Video x64: (x64)\Video	RestoreMode	>=0	1	4.7.4 HOTFIX 4.11.2	4.11.2, (10): 1 10 ; 0 . 4.11.2 , , 60, 1 . 0 , .
32: (X32)\Video x64: (x64)\Video	restorezoom	>=0	0	4.11.2	, . 0, .
32: (X32)\Video x64: (x64)\Video	ShowDate	0, 1	0	4.7.3 4.8.6, 4.10.5	, ()
32: (X32)\Video x64: (x64)\Video	ShowID<_>	0, 1	1	4.9.0 4.10.1	, . : ShowID3=0 –
32: (X32)\Video x64: (x64)\Video	ShowName<_>	0, 1	0	4.7.3 4.10.1	,
32: (X32)\Video x64: (x64)\Video	ShowTime<_>	0, 1	1	4.7.3 4.10.1	,
32: (X32)\Video x64: (x64)\Video	ShowTitle	0, 1	0	4.7.3 4.10.1	,
32: (X32)\Video x64: (x64)\Video	ShowButtons<_>	0, 1	1	4.10.0 4.10.1	, <_>. , .
32: (X32)\Video x64: (x64)\Video	ShowBorder<_>	0, 1	1	4.10.0 4.10.1	, <_>. , .

32: (X32)\Video x64: (x64)\Video	SnapShotTime	> 0	1	4.7.3	(.)
32: (X32)\Video x64: (x64)\Video	TMDCorrelation	1-100 %	30	4.7.6	, , . 100%
32: (X32)\Video x64: (x64)\Video	TMDNonCorrectionStop	> = 0	1	4.7.6	«», ,
32: (X32)\Video x64: (x64)\Video	TMDSpeedCutoff	0..	15	4.7.6	
32: (X32)\Video x64: (x64)\Video	TMDTolerance	-	50	4.7.6	(). (px)
32: (X32)\Video x64: (x64)\Video	UseConfigureByWeb	0, 1	0	4.7.3	, ip . , . , .
32: (X32)\Video x64: (x64)\Video	UseCompression	0, 1	1	4.7.3	(UseCompression.)
32: (X32)\Video x64: (x64)\Video	UseLowRefFramesFpsFix	0, 1	1	4.7.8	fps . fps = 2
32: (X32)\Video x64: (x64)\Video	VideoDumpMode	0, 1, 2	0	4.7.8	-: 1 – ; 2 – ,
32: (X32)\Video x64: (x64)\Video	VideoDumpPath	-	Intellect/ FrameDump	4.7.8	,
32: (X32)\Video x64: (x64)\Video	AdaptiveStream	0, 1	-	4.8.3 HotFix	. 1 – , . , , . ! 1 , . . , , "" . 0 – , .
32: (X32)\Video x64: (x64)\Video	ExtractWidth	0, 1	-	4.8.4	0 – MotionWavalet (). 1 – .
32: (X32)\Video x64: (x64)\Video	TelemetryMouseWheel	0, 1	-	4.8.4	0 – , « «», » 1- Ctrl. : – ZOOM_IN(ZOOM_OUT), ZOOM_STOP
x32: (X32)\Video x64: (x64)\Video	ExportFontAdaptive	0, 1	-	4.8.7	() (4.10.5): 0 – (). , . 1 – .
x32: (X32)\Video x64: (x64)\Video	ClientArchMessage	0, 1	-	4.9.0	MONITOR: ARCH_ENTER – ARCH_EXIT – ARCH_FRAME_TIME – ()
x32: (X32)\Video x64: (x64)\Video	DrawDetectorNumbers	0, 1	-	4.8.7	0 – (). 1 –

x32: (X32)\Video x64: (x64)\Video	DrawDetectorColors	0, 1	-	4.8.7	, : 0 – (4.11.2). 1 – , .
x32: (X32)\Video x64: (x64)\Video	FaceCamOffset	0-2147483648	50000	4.8.8	, , , .
x32: (X32)\Video x64: (x64)\Video	FontCamNameHeight	>=10	10	4.8.8	
x32: (X32)\Video x64: (x64)\Video	FontCamTimeHeight	>=10	10	4.8.8	
x32: (X32)\Video x64: (x64)\Video	ShowFileNameInTitles	0, 1	0	4.9.0	: 0 – 1 – ().
x32: (X32)\Video x64: (x64)\Video	CorrectFrameNumber	0, 1	1	4.9.0	1 – Axxon_player.exe , . 0 – , , .
x32: (X32)\Video x64: (x64)\Video	DisappearedAlarmDuration	>0	15	4.9.0	, « ».
x32: (X32)\Video x64: (x64)\Video	LongInZoneTimeout	>0	10	4.9.0	, VMDA 10 , .
x32: (X32)\Converter x64: (x64)\Converter	CheckCompressedSize	0, 1	1	4.9.0	avi Converter.exe. 0, avi. , , .
x32: (X32)\Video x64: (x64)\Video	MonitorFrameBuffer	>=0	-	4.8.2	, IP-. 5. . MonitorSynchronizedFrameBuffer, .. , .
x32: (X32)\Video x64: (x64)\Video	BoardFX4MaxChannels	0, 1	0	4.9.0	FX4. 1 – . , . 0 – .
x32: (X32)\Video x64: (x64)\Video	BoardFS6MaxChannels	0, 1	0	4.9.0	FS6. 1 – . , . 0 – .
x32: (X32)\Video x64: (x64)\Video	TelemetryZoomStopTime	>0	1000	4.9.1	()
x32: (X32)\Video x64: (x64)\Video	OnvifCompatibilityMode	0, 1	0	4.9.1	ONVIF ., ONVIF.
x32: (X32)\Video x64: (x64)\Video	TelemetryPointAndClickDelay	>0	500	4.9.2	Point&Click Ctrl. . .
x32: (X32)\Video x64: (x64)\Video	m_nCurVolume[FS]	>=0	0	4.7.6	. (, 0=C, 1=D, 2=E). , , . 1.

x32: (X32)\Video x64: (x64)\Video	m_dwTime[FS]		1970.01.01.03.00.00	4.7.6	，，，，： - m_dwTime[FS] 。 ()，。 ，，，m_dwTime[FS]，()，(，.)。。
x32: (X32)\Video x64: (x64)\Video	m_nCurVolume[ARCH]	>=0	0	4.7.6	。m_nCurVolume[FS]
x32: (X32)\Video x64: (x64)\Video	m_dwTime[ARCH]		1970.01.01.03.00.00	4.7.6	。m_dwTime[FS]
x32: (X32)\Video x64: (x64)\Video	TelemetryMouseZoom	0, 1	1	4.9.2	。 0－。 1－。
x32: (X32)\Video x64: (x64)\Video	UnlimitMonitorSize	0, 1	0	4.9.3	1。 (900%) 。
x32: (X32)\Debug x64: (x64)\Debug	ShowDisplayingFps	0, 1	0	4.9.3	1，。 4.11.0，，()，，()。 。(。)..。 。
x32: (X32)\Video x64: (x64)\Video	StartPlayFromPFrame	0, 1	1	4.9.3	： 0－。 1－(, -)。
x32: (X32)\Video x64: (x64)\Video	UseServerTime	-1 * all 。 。 4.9.8 * all	-	4.9.3	，，，，-，。 IP-，。 ： -1, *, all ()－ (4.10.0)。 －，。 。(, Tattile)。 。 "1,10,135" () 1, 10 135
x32: (X32)\Video x64: (x64)\Video	MxpegResetCounter	>=0	13	4.9.5 DP 3.2.30	MxPEG，。3，。 ，MxPEG MxPEG。。
x32: (X32)\Video x64: (x64)\Video	TelemetryMouseAlternative	0, 1	1	4.9.5	0－。 1－。，。 。

x32: (X32)\Video x64: (x64)\Video	TelemetryLineColor	4 RGB 4- = 0. 3- – R (0..255) 2- – G (0..255) 1- – B (0..255) : : LetterboxBackgroundColor = 255 LetterboxBackgroundColor = 16777215	16777215 ()	4.10.4	.. .
x32: (X32)\Video x64: (x64)\Video	ContinuousMode	, , 2,3,1	-	4.9.5	, , , , , . () , . . .
x32: (X32)\Video x64: (x64)\Video	MonitorSkipArchFramesEnable	0, 1	1	4.9.5 4.9.7 4.10.1	. 0 – , , 4 (, 60). 1 – 12 8 . . FastPlayMpegSkip MonitorForwardSkipSpeed.
x32: (X32)\Video x64: (x64)\Video	ResetOSDLine	0, 1	0	4.9.8	SC590N4. 0 – OSD- . 1 – OSD- . . .
x32: (X32)\ x64: (x64)\	ClearProtocolFromCurrentTime	0, 1	0	4.9.8	(. ()): 1 – . - "(,), , . 0 – . . 00:00:00 .
32: (X32)\Video\AVI x64: (x64)\Video\AVI64	SubtitlesFontSize	8 – 48	-	4.9.0	. .. , .
x32: (X32)\Video x64: (x64)\Video	TelemetryArrowLen	0 – 100	50	4.9.8	, . .
x32: (X32)\Video x64: (x64)\Video	TelemetryStopZone	2 – 100	50	4.10.0	, . , , , .
x32: (x32)\Video x64: (x64)\Video	ShowTelemetryCross	0, 1	1	4.10.0	. 1 – . 0 – .
x32: (x32)\Video x64: (x64)\Video	GreenStreamUpdateTimeoutMS	>0	20000	4.10.0	, . , (.).

x32: (x32)\Video x64: (x64)\Video	TitlesOnlyArchive	0, 1	0	4.10.0	. 1 – *.t01. , , (). 0 – .
x32: (x32)\Video x64: (x64)\Video	ExportDirFixed	0, 1	0	4.9.9	. 1 – 0 –
x32: (x32)\Video x64: (x64)\Video	ShowBookmarkButtons	0, 1	1	4.10.1	, (). 1 – . 0 – .
x32: (x32)\Video x64: (x64)\Video	ShowExportButtons	0, 1	1	4.10.1	, (). 1 – . 0 – .
x32: (x32)\Video x64: (x64)\Video	ResizePrintingFrame	0, 1	0	4.10.1	: 1 – , , (). 0 – .
x32: (x32)\Video x64: (x64)\Video	CycleByLayouts	0, 1	0	4.10.1	. 0 – . 1 – . , . ! CycleByLayouts=1 , . CycleByLayouts=1, ,
x32: (x32)\Video x64: (x64)\Video	EnableCodecSettings	0, 1	0	4.10.1	. 0 – . 1 – .
x32: (x32)\Video x64: (x64)\Video	PerspMaxObjects	>0	10	4.10.1	, ().
x32: (x32)\Video x64: (x64)\Video	VirtualGrabberSortMode	0, 1, 2	0	4.10.1	: 0 – . 1 – 0. 2 – .
x32: (x32)\Video x64: (x64)\Video	NotifyAbout_arch_days	0, 1	1	4.10.2	, 30% ().
x32: (x32)\Video x64: (x64)\Video	archrecreatestart	0, 1	0	C 4.8.3 4.10.3	. 1 – , , , , , . 0 – . .

x32: (x32)\Video x64: (x64)\Video	MonitorArchPrevTimeSeconds	>=0	-1	4.10.4	(0) , . . . -1 – (). . . . , . . "0", archrecreatestart (.). "1", "2", .., archrecreatestart + . . 20 , () 2-4 .. , , , .
x32: (x32)\Video x64: (x64)\Video	archenterpause	0, 1	0	4.8.3	. 1 – , . 0 – . .
x32: (x32)\Video x64: (x64)\Video	LButtonClickContinuousPlayEnable	0, 1	0	4.10.3	: 0 – , . 1 – , .
x32: (x32)\Video x64: (x64)\Video	MonitorPlaybackControlByMouseWheel	0, 1	0	4.10.3	/ . 0 – . 0. 0. 1 – . / . .. , .
x32: (x32)\Video x64: (x64)\Video	ConnectOnlyByClient	0, 1	0	4.10.3	, . , . 0 – . 1 – , . , , , (.). , , .
x32: (x32)\Video x64: (x64)\Video	MaximizeCameraOnDbIcIk	0, 1	0	4.10.3	. , . 0 – . 1 – (). .. , , <i>MinimizeCameraOnDbIcIk</i> .
x32: (x32)\Video x64: (x64)\Video	MinimizeCameraOnDbIcIk	0, 1	0	4.10.3	MaximizeCameraOnDbIcIk = 1 . , . 0 – . 1 – .
x32: (x32)\Video x64: (x64)\Video	ContourAlways	*, all,	-	4.10.3	, . – (.). * all – . (, "1,2,4") – .
x32: (x32)\Video x64: (x64)\Video	savemode	0, 1	-	4.10.3	() . 0 – . 1 – ().

x32: (x32)\Video x64: (x64)\Video	GateDumpConnections	0, 1	0	4.10.4	. 0 . 1 .
x32: (x32)\Video x64: (x64)\Video	clean_object_lists	0, 1	0	4.10.4	, . 1 – . 0 – . .
x32: (x32)\Video x64: (x64)\Video	ShowDisconnectState	0, 1	0	4.10.4	. 0 – . 1 – , .
x32: (x32)\Video\Deinterlace x64: (x64)\Video\Deinterlace	< > . < > , , 4.1 – 1 4.	1, 2	-	4.10.4	. 1. , , Paxton, 2.
x32: (x32)\Video x64: (x64)\Video	MonitorMultiDecompress	0, 1, 2	1	4.10.4, 4.11.2	. . 0 . 1 , . , , . 2 , . , 1. . , , .
x32: (x32)\Video x64: (x64)\Video	DisableReplaceCam	0, 1	0	4.10.4	(,). 0 – . 1 – .
x32: (x32)\Video x64: (x64)\Video	UseOneClkToMaximizeOrMinimizeCamera	0, 1	0	4.10.5	, MaximizeCameraOnDbIcIk MinimizeCameraOnDbIcIk 1. : 0 – . 1 – .
x32: (x32)\Video x64: (x64)\Video	ApplyChinaEastWestFix	0, 1	0	4.10.5	. 0 . 1 -pan- CAM XXXX UPDATE_ABSOLUTE, .
x32: (x32)\Video x64: (x64)\Video	UseNuma	0, 1, 3	0	4.10.5	. 0 . 1 NUMA . Win32 API, NUMA-. 3 NUMA . . . <i>ITV</i> .
x32: (x32)\Video x64: (x64)\Video	nosynt	0, 1	0	4.10.5	ActiveX (. ActiveX CamMonitor.ocx) . , ActiveX, Web-, , . 0 ActiveX . 1 ActiveX .

x32: (x32)\Video x64: (x64)\Video	MonitorForwardSkipSpeed	>0	12	4.10.4	MonitorSkipArchFramesEnable (.). 1. , , 1
x32: (x32)\Video x64: (x64)\Video	< .MaxChannels> : RTSP.MaxChannels, HikVision(h.264).MaxChannels . , . .	>0	-	4.10.4 DP 3.52.2423	() . 64.
32: (X32)\Video x64: (x64)\Video	EnterEdgeStorageDirect	0, 1	0	4.10.4	" " . 0 . 1 " ", . , .
				4.10.5	Tab .
32: (X32)\Video x64: (x64)\Video	TouchScreenUpdateTimeout	> = 0	0	4.10.5	Play .
32: (X32)\Video x64: (x64)\Video	ShowNoDiscIconInMonitor	0, 1	1	4.10.5	, . 0 , . 1 , . . , .
32: (X32)\Video x64: (x64)\Video	DisableTelemetryOnDeactivate	0, 1	0	4.10.5	0 – , , . 1 – , , . . .
32: (X32)\Video x64: (x64)\Video	NoSaveTitles	0, 1	0	4.10.5	: 0 – . 1 – .
32: (X32)\Video x64: (x64)\Video	MaxSpeedValue		-	4.10.5	, . : 6 x6. 5 x4. 1 0 , 1/8, 1/4, 1/2. -10 x1/8, x1/10.
32: (X32)\Video x64: (x64)\Video	DecompressorTimeout	>0	30	4.10.5.3952 4.10.5.3958	, 1. , .
32: (X32)\Video x64: (x64)\Video	DecompressorQueue	>0	30	4.10.5.3958 4.10.5.4075	. , , , 30 . .
			-	4.10.5.4075	, DecompressorQueue.ByTime=0 (.)
32: (X32)\Video x64: (x64)\Video	DecompressorQueue.ByTime	>=0	1500	4.10.5.4075	. . . DecompressorQueue DecompressorQueue.ByTime=0.
32: (x32)\Video x64: (x64)\Video	StopAllButCurrent	>=0	0	4.10.5	: 0 – , , () . 1 – , .

x32: (x32)\Video x64: (x64)\Video	TT_INITIAL	>0	1000	4.10.5	, .
x32: (x32)\Video x64: (x64)\Video	TT_AUTOPOP	>0	5000	4.10.5	, .
x32: (x32)\Video x64: (x64)\Video	hardcoded_hyperlink	URL-	-	4.10.5	Web- IP-. , Web- hardcoded_hyperlink/<cam_id>. , " http://localhost/". Web- IP- 1 http://localhost/1 . Web- IP-.
x32: (x32)\Video x64: (x64)\Video	syncing_cams_max_number	>0	10	4.10.5	. , . - , . , 1, , .. , ..
x32: (x32)\Video x64: (x64)\Video	BookmarkProtectArchive	0, 1	-	4.11.0	, . 0 – , . 1 – , .
x32: (x32)\Video x64: (x64)\Video	IpStorageSyncDepthHours	>0	24	4.10.5	, . , 34 , 24, 24 . . SyncedTime Settings.xml.
x32: (x32)\Video x64: (x64)\Video	MonitorSynchronizedFrameBuffer	>=0	-	4.10.5	. , fps . 0 – . >0 – . MonitorFrameBuffer, .. , .
x32: (x32)\Video x64: (x64)\Video	Video.ThreadAffinity.Main.CoreCPU	>=0	0	4.10.5	, . 0 – , . >=0 – .
x32: (x32)\Video x64: (x64)\Video	MonitorUpdateInterval	>0	-	4.10.5	. fps.
x32: (x32)\Video x64: (x64)\Video	Monitor_<id>_GreenStreamFactor, id –	<id_>:<>,	*	4.11.0	(Green Stream). – , , (). . : * – 5% (). *:25 – 25% . 1:30,3:45 – 1 30%, 3 – 45%, – . . 1 320240, 1:50, 320240 160 480.

x32: (x32)\Video x64: (x64)\Video	ResetFastPlaySpeedOnPause	0, 1	0	4.11.0	. 0 – , , . 1 – , 1. . 1, .
x32: (x32)\Video x64: (x64)\Video	BlockGetPositionParams	0, 1	0	4.11.0	. 0 – . 1 – , . . .
x32: (x32)\Video x64: (x64)\Video	GreenStreamScaleRatio	>0	1	4.11.1	, (<1) (>1), . , . , , 640480 1280960, 2. , .
x32: (x32)\Video\Monitor\ DisableStreams\cam<camera_id> \ stream<camera_id.stream_id> x64: (x64)\Video\Monitor\ DisableStreams\cam<camera_id>\ stream<camera_id.stream_id>	block_stream	0, 1	0	4.11.2	. 1 – . 0 – . : Computer\ HKEY_LOCAL_MACHINE\ SOFTWARE\ WOW6432Node\ ITV\ INTELLECT\ Video\ Monitor \DisableStreams \cam8 \stream8.3 1 3 8.
x32: (x32)\Video x64: (x64)\Video	LayoutGradualIncrease	0, 1	0	4.11.2	. . 0 – . 1 – : 2 , - 3 , ..
x32: (x32)\Video x64: (x64)\Video	UseDefaultLayoutOnlyAtStartup	0, 1	1	4.11.2	, (.): 1 – , // . 0 – , // .
x32: (x32)\Video x64: (x64)\Video	StopLiveStreamInArchive	0, 1	0	4.11.2	ActiveX Cammonitor.ocx. 0 – . 1 – , .
x32: (x32)\Video x64: (x64)\Video	Threads.AffinityStrategy	0, 1, -1	0	4.11.2	. 0 , , . . 1 . -1 .

x32: (x32)\Video\Monitor\<>\Zoom\cam<> x64: (x64)\Video\Monitor\<>\Zoom\cam<> , , 1 2 : \Video\Monitor\1\Zoom\cam2	blocking	1	-	4.11.2	, . . .
x32: (x32)\Video\AVI x64: (x64)\Video\AVI	UseFfmpegConcat	1	-	4.11.2	AviExport, , . MKV . . () , , , .
x32: (x32)\Video x64: (x64)\Video	MonitorExtraTextColor	-	-	4.11.2	, , , HEX BGR, . , , HEX BGR FF0000. FF0000 16711680, .
x32: (x32)\Video x64: (x64)\Video	HideArchControls	0, 1	0	4.11.2	(, ,) ActiveX Cammonitor.ocx 0 – 1 –
x32: (x32)\Video x64: (x64)\Video	DisableAntiAliasingForArchiveVideo	0, 1	0	4.11.2	(.). 0 – , . 1 – .
x32: (x32)\Video x64: (x64)\Video	AddAllGrabberChannels	0, 1	0	4.8.3	PCI , , . 0 – , , PCI . 1 – PCI .
x32: (x32)\Video x64: (x64)\Video	Monitor.Native	0, 1	1	4.11.2	: 0 – MJPEG. , . (/ , /), . 1 – , , , . , . : 1. , . , (=0). , MJPEG, . 2. , (=1), .
x32: (x32)\Video x64: (x64)\Video	ReverseRecompress	0, 1	0	4.10.0	MJPEG : 0 – 1 – MJPEG
32: (X32)\Video\Monitor\<>\DisableMouse x64: (x64)\Video\Monitor\<>\DisableMouse	WM_LBUTTONDOWNBLCLK	1	-	4.11.2	, . . .
32: (X32)\Video\Monitor\<>\DisableMouse x64: (x64)\Video\Monitor\<>\DisableMouse	WM_RBUTTONDOWNBLCLK	1	-	4.11.2	, . . .

x32: (X32)\Video\Monitor\<>\HardLayout x64: (x64)\Video\Monitor\<>\HardLayout	< >	< >, < >. >0. , 3, 2 32	-	4.11.2	. < > , . , . : Computer\HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\ITV\Intellect\Video\Monitor\2\HardLayout\3 = 4,5 3 45 2. . (.), (.). . .
x32: (x32)\Video x64: (x64)\Video	SendFrameArchExactDelay	>=0	1000	4.11.2	.
x32: (x32)\Video x64: (x64)\Video	Monitor.ShowTimeMS	0, 1	0	4.11.2	, . 0 1
x32: (x32)\Video x64: (x64)\Video	TrySquareLayout	0, 1	-	4.11.3	. (.). 1 , : 1, 22, 33, 44 .. 0
x32: (x32)\Video x64: (x64)\Video	HideInMenuVideoServer	0, 1	0	4.11.3	. 0 1
x32: (x32)\Video x64: (x64)\Video	CanUseVmdaFilters	0, 1	1	4.11.3	« » « » « ». 1 0
x32: (x32)\Video x64: (x64)\Video	HideArchSaveAndPrintButtons	0, 1	0	4.11.3	, . 1 0 . , . :
x32: (x32)\Video x64: (x64)\Video	Monitor.IgnoreFastClientSkip	0, 1	0	4.11.2	0 . . 1 0
x32: (x32)\Video x64: (x64)\Video	GateDisableHotStartVideo	0, 1	1	4.11.3	; START_VIDEO STOP_VIDEO GATE . 1 START_VIDEO STOP_VIDEO , 0 START_VIDEO STOP_VIDEO ,

x32: (x32)\Video x64: (x64)\Video	StatusInfo	0, 1	-	4.11.3	- video.run Debug=4. . 0 (6 c 10) 1 (10) , Debug=4 StatusInfo=1
x32: (x32)\Video x64: (x64)\Video	ShowFrameSkippedStatus	0, 1	1	4.11.3	, (FRAME_SKIPPED, .). 1 , 0 ,
x32: (x32)\Video x64: (x64)\Video	EmbeddedDetectorsLifetime	>0	-	4.11.3	(.). .
x32: (x32)\Video x64: (x64)\Video	UseObsoleteAttribute	0, 1	-	4.11	(Drivers Pack) IP-. 1 0 .
x32: (x32)\Video x64: (x64)\Video	MonitorToTelemetryDirectCommand	0, 1	0	4.9.8	: 1 – . 0 – , . TelemetryDirectCommand (.) . : TelemetryDirectCommand = 1 () MonitorToTelemetryDirectCommand = 1 (: 0) ! , . .
x32: (x32)\Video x64: (x64)\Video	ActivateVirtualSlave	0, 1	-	4.11.3	(.). 1 – 0 – .

x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileReader.MMF	0, 1	1	4.10.4	0 – . 1 – .
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.NotifyCoreFrameSkipped	0, 1	1	4.10.5	FRAME_SKIPPED (. CAM). 0 – FRAME_SKIPPED , . 1 – FRAME_SKIPPED , .

x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.RecordingStateChangeDelay	>30	30	4.11.3	., FRAME_SKIPPED\FRAME_SKIPPED_STOP . . CAM
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.MaxSkippedFramesByPeriod	>0	50	4.11.3	(FileSystem.RecordingStateChangeDelay), FRAME_SKIPPED. . CAM
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.NotifyCoreFileSystemError	0, 1	1	4.11.3	FILE_REC_ERROR FILE_REC_OK (. CAM). 0 – FILE_REC_ERROR FILE_REC_OK , . 1 – FILE_REC_ERROR FILE_REC_OK , .
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.MinMaxHoursFromNow	0, 1	1	4.10.5	(.). 0 – . 1 – .
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.SaveUncompressed	0, 1	0	4.11.2	() . 0 () . 1 ,
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.DeleteMinutes	>=10	60	4.11.3	, . , , . .
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.FlushFileBuffers	0, 1	0	4.11.3	log-, FlushFileBuffers duration . 0 1
x32: (X32)\Video x64: (x64)\Video	MemFile	-1, 0, 1	-1	4.9.8 4.11.3.4036	: 0 – . . 1 – (1500 ,), . , , WriteBufferSize (1).  ! 4.11.3.4036 (. 4.11.3.4036) . FileSystem.MemFile
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.MemFile	-1, 0, 1	-1	4.11.3.4036	: 0 – . . 1 – (1500 , Tweaki.exe MaxFrames), . , , FileSystem.WriteBufferSize (4). -1 – , FileSystem.PreAllocateFileSize, FileSystem.WriteBufferMemoryLimit. , . . .
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.WriteBufferMemoryLimit	>=0	4	4.11.3	, . -.

x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.PreAllocateFileSize	0-200	10	4.11.3	FileSystem.MemFile=-1 (). , , .
x32: (X32)\Video x64: (x64)\Video	FastIndex	0, 1	0	4.9.9-4.10.2	. 64-, .
			1	4.10.4 4.11.3.4036	, VIDEO fastIndex.index, . 0 – , . 1 – , .  ! 4.11.3.4036 (4.11.3.4036) . FileSystem.FastIndex
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.FastIndex	0, 1	1	4.11.3.4036	. 64-, . , VIDEO fastIndex.index, . 0 – , . 1 – , .
x32: (X32)\Video x64: (x64)\Video	WriteBufferSize	>0	1	4.9.8 4.11.4036	, , . , "" . MemFile 1 -1. .. WritingQueueSize.
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.WriteBufferSize	>0	4	4.11.4036	, , . , "" . FileSystem.MemFile 1 -1. .. WritingQueueSize.
x32: (X32)\Video x64: (x64)\Video	WritingQueueSize	>0	100	4.9.8	, , . .
x32: (x32)\Video\FileSystem x64: (x64)\Video\FileSystem	FileSystem.ReadRaw	0, 1	0	4.11.2	. . 0 – 1 –

32: (X32)\Audio x64: (x64)\Audio	Max_file_len_sec	> = 0	600	4.7.4	(.)
32: (X32)\Audio\Card\ «Card Name» x64: (x64)\Audio\Card\ «Card Name»	mix	0, 1	0	4.7.4	

32: (X32)\Audio x64: (x64)\Audio	AudioStreamLoggerEnable	0, 1	0	4.9.8	0 – . 1 , 0 – . .
32: (X32)\Audio x64: (x64)\Audio	AudioMaxDiffTime	>0	2000	4.10.5	(timestamps), IP- . , . . , , "". "" .
32: (X32)\Audio x64: (x64)\Audio	SpeakerLiveDelay	>0	2000	4.10.5	. , (). , , "". .

32: (x32) x64: (x64)	ChangePort	> = 0		4.7.3	. , 20900 40900, 20900="40900".
32: (x32) x64: (x64)	CheckPingPeriod	> 0	10	4.7.4 4.10.2	. . 4.10.3, .
32: (x32) x64: (x64)	CheckVersion	0, 1	0	4.7.4	: «connected version» . ,
32: (x32) x64: (x64)	Core IP Address	IP	-	4.7.3	, slave.exe
32: (x32) x64: (x64)	DBAttempts	>=1	10	4.7.3	
32: (x32)/Debug x64: (x64)/Debug	DebugLevel	0,1,2,3,4	0 4.11.3.4472, 4.11.3.4472 4	4.7.3	: 0 – ; 1 – ; 2 – ; 3 – , ; 4 – , .
32: (x32)/Debug x64: (x64)/Debug	DebugExtension		LOG	4.7.3	-
32: (x32)/Debug x64: (x64)/Debug	DebugFlushPeriod	> = 0	500	4.7.4	- ()
32: (x32)/Debug x64: (x64)/Debug	DebugOptions	10- : 0-255.	0x001 (. 1)	4.7.3	. () Tweaki.exe

32: (x32)/Debug x64: (x64)/Debug	DebugQueueMaxLines	0 – 2147483647	2000	4.7.4	-. 500 ,
32: (x32)/Debug x64: (x64)/Debug	DebugSize	>=100	100	4.7.3	, .
32: (x32)/Debug x64: (x64)/Debug	DebugTime	0-2147483647	48	4.7.3	-
32: (x32)/Debug x64: (x64)/Debug	DebugZipDays	>0	2	4.7.5	, , .gz.
32: (x32) x64: (x64)	debug_log	0, 1	-	4.11.2	. -. . ,. -
32: (x32) x64: (x64)	debug_protocol	0, 1	0	4.11.2	DEBUG_PROTOCOL, . .
32: (x32) x64: (x64)	defaultconnection	0, 1	1	4.7.4	, «»
32: (x32) x64: (x64)	DisableProtocol	0, 1	0	4.7.3	
32: (x32) x64: (x64)	DisableThreadStatQueue	0, 1	0	4.8.0	. , . 1 . : • 4.9.2 – F2 • 4.9.3 – Alt+F2
32: (x32) x64: (x64)	InstallFolder			4.7.3	
32: (x32) x64: (x64)	Language	0x0419	-	4.7.3	(0x0419 –)
32: (x32) x64: (x64)	OnlyLocalProtocol	0, 1	0	4.7.3	
32: (x32) x64: (x64)	ProtocolWriteAllEvents	0, 1	0	4.11.2	
32: (x32) x64: (x64)	PeakWorkingSetSizeQuota	>=0	0	4.8.1	. , , .
32: (x32) x64: (x64)	PhotoCores	IP	-	4.7.3	()


32: (x32) x64: (x64)	PriorityClass	256, 128, 32768, 32, 16384, 64	16384	4.7.3	: 256 – realtime 128 – high 32768 – Above Normal 32 – normal 16384 – below Normal 64 – low
32: (x32) x64: (x64)	ShowCrashMessage	0, 1	0	4.7.5	
32: (x32) x64: (x64)	SyncTime	0, 1	0	4.7.3	,
32: (x32) x64: (x64)	Topmost	0, 1	1	4.7.4	splash-: 1 – splash- , 0 – 4.10.0 splash- /, 4.10.1 Q).
32: (x32) x64: (x64)	Type_view_dept_log	0,1,2	0	4.7.4	: 0 – : ; 1 – : [] ; 2 – : []
32: (x32) x64: (x64)	URAttempts	0 – 10000	3	4.7.3	
32: (x32) x64: (x64)	URDelay	0 – 10000	60	4.7.3	(.)
32: (x32) x64: (x64)	virtualgrabber	0, 1	0	4.7.6	
32: (x32) x64: (x64)	SyncNotEmpty	0, 1	0	4.8.5	: 1 – ; 0 – .
32: (x32)\Debug x64: (x64)\Debug	counter_period	>=0	0	4.9.0	, - , . 0, .
x32: (x32)\ IntellectRunService x64: (x64)\ IntellectRunService	RestartIntellectOnLogonDisable	0, 1	0	4.9.0	1 – «», , , IntellectUsers. 0 – «», , , IntellectUsers.
x32: (x32)\ IntellectRunService x64: (x64)\ IntellectRunService	CheckUserForRestartIntellectDisable	0, 1	-	4.9.0	0 – «», , , IntellectUsers. 1 – «», , , IntellectUsers. . , , «» .

x32: (x32) x64: (x64)	ShowHiddenObjects	0, 1	0	4.9.0	0 – , IntegratedAudioSource IntegratedVideoSource, Integrated device, «». 1 – «». «».
x32: (x32)\IntellectRunService\ x64: (x64)\IntellectRunService\	InheritServiceEnvironment	0, 1	-	4.9.0	MS failover cluster.
x32: (x32) x64: (x64)	SortCamsById	0, 1	1	4.8.8	, . 1 – ID; 0 – .
x32: (x32) x64: (x64)	EventProcessingThreads	>=0	0	4.9.0	.
		4-8		4.11.3	
32: (x32)\Debug x64: (x64)\Debug	DumpYUV	0, 1	-	4.9.0.959	, . \StreamLabs (motionWavelet7.1). Modules () . : WxH_hv_chunk_yuv W – ; H – ; h – v – , . , 640x480 YUV420 640x480_22_chunk_0.yuv
x32: (x32) x64: (x64)	settings_height	>0,	438	4.11.3	
x32: (x32) x64: (x64)	settings_width	>0,	600	4.11.3	
x32: (x32) x64: (x64)	ATMSendSetup	0, 1	1	4.9.3	0 – SETUP (ATM) , . 1 – SETUP () , .
x32: (x32) x64: (x64)	RegisterF10andF11	0, 1	1	4.9.2	1 – F10 F11 (.). 0 – F10 F11 . . . F10 F11 , \HKEY_CURRENT_USER\Software\ITV\Intellect. , F10 F11 , , (x32)/(x64).
x32: (x32) x64: (x64)	DisableF8	0, 1	0	4.10.4	0 – F8 . 1 – F8 . . F8 , \HKEY_CURRENT_USER\Software\ITV\Intellect. , F8 , , (x32)/(x64).
x32: (x32) x64: (x64)	check_digital	0, 1	0	4.8.0	1 .

x32: (x32) x64: (x64)	CONNECT_ATTEMPTS	>=1	1	4.9.4	. .
x32: (x32) x64: (x64)	FLUSH_TIMER_TIMEOUT	>0	, 10.	4.9.4	. () . .
x32: (x32) x64: (x64)	UnloadDelay	0 60000	5000	4.9.5	Guardant . FORCED_OFF SLAVE, , . UnloadDelay = 0, ,../, , .
x32: (x32) x64: (x64)	SortSubItems	0, 1	0	4.9.5	: 0 – ; 1 – . 1. , , "115" "15",.. "115" , "15" 5. 2. .
x32: (x32) x64: (x64)	ShowSmallBarAlways	0, 1	0	4.10.1	. 0 – . 1 – .
x32: (x32) x64: (x64)	UpdateProtocolPeriod	> 0	-	4.10.2	. , , ClearProtocolFromCurrentTime (.). , , 00 00 .
x32: (x32) x64: (x64)	permissible_memory_limit	>0	-	4.10.3	, . , - .
x32: (x32) x64: (x64)	MsgCompressOn	0, 1	0	4.10.3	: 0 – . 1 – (zip). . . = 1 - ,.- .
x32: (x32) x64: (x64)	user_card_info_on	0, 1	0	4.10.3	/, ACFA . , . 0 – . 1 – param1 . . . 4.10.3 " " – .
x32: (x32) x64: (x64)	CriticalErrGui	0, 1	0	4.10.3	(. Debug). 0 – Debug 4. 1 – .
x32: (x32) x64: (x64)	IntellectCloseTimeout	>0	60000	4.8.3	. intellect.exe , . 60 .

x32: (x32) x64: (x64)	SaveIncommingMsg	0, 1	0	4.7.8	log-. <>.exe.cd.log. , , intellect.exe intellect.exe.cd.log , VMSScript.exe VMSScript.exe.cd.log — Modules. log- 4, .bak — <>.exe.cd.log.bak. . . . 0 – . 1 – .
x32: (x32) x64: (x64)	BackupFolder		-	4.7.6	, idb.exe. , \Documents and Settings\AVP\Backup , UNC- , , \\ServerName\ShareName. , , , , SQL Server. . .
32 x64: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Winlogon	Shell		explorer.exe	4.10.5	"explorer" (, "testexplorertest" "123explorertest125"),
x32: (x32)\ IntellectRunService x64: (x64)\ IntellectRunService	IntellectUserGroup			4.10.0	IntellectUsers, .
x32: (x32) x64: (x64)	monitor_refresh_delay	10 – 3000	3000	4.10.5	. 500, . 500, 64 , .
x32: (x32) x64: (x64)	DisableUpdateProtocol	0, 1	0	4.7.5	UPDATE_PROTOCOL, (). 0 – UPDATE_PROTOCOL . 1 – UPDATE_PROTOCOL .
x32: (x32) x64: (x64)	max_disp_menu_items	>0	50	4.10.5	, , (). , .
x32: (x32) x64: (x64)	URM_ProcessWait	>0	10000	4.10.5	, , Video.run. .
x32: (x32) x64: (x64)	show_responsible	0, 1	0	4.10.5	() , : • – . • – • – .
x32: (x32) x64: (x64)	NotifyExpireLic	0, 1	0	4.10.5	, , (. SLAVE).
x32: (x32) x64: (x64)	sync_timeout	>0	600	4.10.5	, . , .. .
x32: (x32) x64: (x64)	ShowPanelByKey	0, 1	0	4.11.0	. 1, F12.

x32: (x32) x64: (x64)	IntegrityCheck	0, 1	0	4.11.0	. : • Intellect.exe • Intellect64.exe • Slave.exe • Modules64/Slave.exe - , " . ", .
x32: (x32)\Display x64: (x64)\Display	DISPLAY_MAX_NUM	1-1000	500	4.10.5	, .
32: (x32)\ x64: (x64)\	RestPort	0 – 65535	10112	4.10.1 4.10.2	, HTTP-. . HTTP -. 4.11.1 , 4.11.1 Web -. 4.11.3 , HTTP- Web- Intellect Web Report System. 0, HTTP .
			0	4.10.3 4.11.0	
			-	4.11.1- 4.11.2	
			22441	4.11.3	
x32: (x32)\ x64: (x64)\	ADSyncOnStart	0, 1	0	4.10.5	Active Directory . 0 – AD . 1 – AD .
x32: (x32)\ x64: (x64)\	cur_monitor	>=0		4.11.2	, . , /, . . ! 0. , 1- , 0, 2- – 1 .. , .
x32: (x32)\Macro x64: (x64)\Macro	UseHotKeys	0, 1	1	4.11.3	. 0 – . 1 – .
32: (x32) x64: (x64)	SocketReadSize	>0	32768	4.8.3	TCP . : 262144 (0,25), 1048576 (1), 10485760 (10). SocketWriteSize
32: (x32) x64: (x64)	SocketWriteSize	>0	32768	4.8.3	TCP . : 262144 (0,25), 1048576 (1), 10485760 (10). SocketReadSize
32: (x32)\InstallPropertyInfo x64: (x64)\InstallPropertyInfo	INSTALL_AS_SERVICE	0, 1	0	4.11.3	. 0 – 1 –
32: (x32) x64: (x64)	core_module_name	intellect.exe, intellect64.exe	intellect.exe	4.11.3.4160	, . intellect.exe – Intellect Core Server intellect.exe intellect64.exe – Intellect Core Server intellect64.exe



32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	Delay	> = 0	250	4.7.3	0 IP-.
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	JoysticThreshold	> = 0	5	4.7.6 HOTFIX	: , . «0», .. .
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	PriorityDelay	> = 0	30000	4.7.3	()
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	UseBoschOSRD40	0, 1	-	4.8.4	Bosch-Autodome
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	PnPJoystick	0, 1	0	4.8.3	: 0 – . 1 – .
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	Zenable	0, 1	1	4.7.7	(, Logitech Attack 3) - Z. 0 Z. 1 – .
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	ZoomSpeed850	0, 1	1	4.9.2	panasonic-850: 1 – 50% 0 – 20%
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	Zdirection	0, 1	0	4.7.6	Z.
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	Ydirection	0, 1	0	4.7.6	Y.
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	Xdirection	0, 1	0	4.7.6	X.
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	WaitDelay	>= 0	0	4.7.5	, , , , ., Axis 295. . 100 300.
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	TelemetryDirectCommand	0, 1	1	4.9.8	: 1 – . 0 – , . . MonitorToTelemetryDirectCommand .
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	SendEventToCore	0, 1	0	4.10.0	. . 1 – TELEMETRY . 0 – .
32: (X32)\Video\CommonPresets x64: (x64)\Video\CommonPresets	ONVIF	0, 1	0	4.10.0	, , . ONVIF , IP- . 0 – , , . 1 – , , . : 1. (ID) (ID) 1 (. . 2). 2. -(0 1), 1. 0, . 1, (, ,).

32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	panas850_stop_duplicates	>0	-	4.10.2	, Panasonic-850 . , .
32: (X32)\TELEMETRY x64: (x64)\TELEMETRY	DisableInternalJoystick	0, 1	-	4.11.0	Windows. 1 – Drivers Pack. 0 – Windows. IP- 0, . 1, .

Player					
32: (X32)\Player x64: (x64)\Player	Wav_delay	> = 0	0	4.7.3	(.)

32: (X32)\ EventViewer x64: (x64)\EventViewer	Overlay	0, 1	1	4.7.3	,
32: (X32)\ EventViewer x64: (x64)\EventViewer	Topmost	0, 1	0	4.7.3	, : 0 – ; 1 –
32: (X32)\ EventViewer x64: (x64)\EventViewer	UserActivityTimeout	>0	3	4.10.3	, . 0, .
32: (X32)\ EventViewer x64: (x64)\EventViewer	GenerateEventInsteadOfReport	0, 1	0	4.11.2	EVENT_VIEWER CREATE_REPORT . 0 – . 1 – EVENT_VIEWER CREATE_REPORT, . EVENT_VIEWER .
32: (X32)\ EventViewer x64: (x64)\EventViewer	ShowInTaskbar	0, 1	0	4.11.3	Windows (). 0 – 1 –

32: (X32)\ Subscribe x64: (x64)\Subscribe	<_>	(*)(.*) (.)	-	4.7.3	. , . , , ID. : DEPARTMENT.1: «0» – , «1» – “.*”, “DEPARTMENT”. , id “.*”. , , , id, “.*” «0» , . . .	

32: (X32)\ DB Import x64: (x64)\ DB Import	ChunkSize	> 0 >=	32768	4.7.3	() ()
32: (X32)\ DB Import x64: (x64)\ DB Import	CursorLocation	1, 2, 3	2	4.7.3	(): 1 – ; 2 – 3 –
32: (X32)\ DB Import x64: (x64)\ DB Import	DwSleep	> = 0	1	4.7.3	() , 100%
32: (X32)\ DB Import x64: (x64)\ DB Import	MoveFirst	0	0	4.7.3	

32: (X32)\Keyb x64: (x64)\Keyb	Prefix		0x60 0x61 0x62 0x63 0x64 0x65 0x66	4.7.3	.

VK_NUMPAD0	
VK_NUMPAD1	0x67
VK_NUMPAD2	
VK_NUMPAD3	0x68
VK_NUMPAD4	
VK_NUMPAD5	0x69
VK_NUMPAD6	
VK_NUMPAD7	0x6A
VK_NUMPAD8	
VK_NUMPAD9	0x6B
VK_MULTIPLY	
VK_ADD	0x6C
VK_SEPARATOR	
VK_SUBTRACT	0x6D
VK_DECIMAL	
VK_DIVIDE	0x6E
VK_F1	
VK_F2	0x6F
VK_F3	
VK_F4	0x70
VK_F5	
VK_F6	0x71
VK_F7	
VK_F8	0x72
VK_F9	
VK_F10	0x73
VK_F11	
VK_F12	0x74
VK_F13	
VK_F14	0x75
VK_F15	
VK_F16	0x76
VK_F17	
VK_F18	0x77
VK_F19	
VK_F20	0x78
VK_F21	
VK_F22	0x79
VK_F23	
VK_F24	0x7A
	0x7B
	0x7C
	0x7D
	0x7E
	0x7F
	0x80
	0x81
	0x82
	0x83
	0x84
	0x85
	0x86
	0x87

32: (X32)\Keyb x64: (x64)\Keyb	ProcessAll	0, 1	0	4.7.3	. ini-, , , : wparam<> NEW_KEY_PRESSED KEYB., a-z 65-90, 0-9 – 48-57.
---	------------	------	---	-------	---

x32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.inactiveInterval	>0	-	4.9.0	, . , VMDA . .
x32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDAEXT	0, 1	0	4.9.8	VMDA . . , CPU . 0 – VMDA video.run. 1 – VMDA detector_ext.run. 1. detector_ext.run video.run. video.run detector_ext.run . 2. DetectorPack (>= 2.1.0)  ! VMDA (,), VMDAEXT=1.
x32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDAEXT.RAM	>0	2000	4.9.8	VMDAEXT , detector_ext.run. . 2000-5000 .
x32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.useSpeedLimitTypeLessThan	id VMDA	-	4.10.4	id VMDA, , VMDA. 1. id , , VMDA. 2. id VMDA VMDA.useSpeedLimitTypeLessThan VMDA.useSpeedLimitTypeMoreThan (.). WDMA .
x32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.useSpeedLimitTypeMoreThan	id VMDA	-	4.10.4	id VMDA, , VMDA. 1. id , , VMDA. 2. id VMDA VMDA.useSpeedLimitTypeMoreThan VMDA.useSpeedLimitTypeLessThan (.). WDMA .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.ignoreAnalyticStream	0, 1	0	4.9.8	, Detector Pack. 0 – . 1 – . . , 0 .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDAEXT.DEBUGGER	0, 1	0	4.11.0	VMDAEXT = 1 (.). Detector_Ext.run Video.run. 0 – Detector_Ext.run . 1 – Detector_Ext.run .

32: (X32)\Video\ x64: (x64)\Video\	DrawAngleArrow	0, 1	1	4.11.2	, . 0 – . 1 – .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.oneAlarmPerTrack	0, 1	1	4.11.0	VMDAEXT = 1 (.). . 0 – – . 1 – – . , VMDA VMDA.oneAlarmPerTrack = 1.
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.SendNewObjectEventToCore	0, 1	1	4.11.3	CAM NEW_OBJECT CAM OBJECT_LOST . 0 – CAM NEW_OBJECT CAM OBJECT_LOST . 1 – .

Web-					
x32: (x32)\WebServer\ x64: (x64)\WebServer\	RequestTimeout	>0	10000	4.9.0	.
x32: (x32)\WebServer\ x64: (x64)\WebServer\	ConnectionTimeoutAtIdle	>0	30000	4.9.0	. .
x32: (x32)\WebServer\ x64: (x64)\WebServer\	TelemetryPriority	0 – 3	1	4.10.5	-. 0 – . 1 – 2 – 3 –
x32: (x32)\WebServer\ x64: (x64)\WebServer\	SplitArchiveIntervals	>0	5000	4.10.1	«» () HTTP API (.). . , .
x32: (x32)\WebServer\ x64: (x64)\WebServer\	ClearConnectionTimeout	>0	1000	4.11.3	Web- .

x32: (x32)\Map\ x64: (x64)\Map\	NotUsingCash	0, 1	-	4.9.2	, , . . , 1. , .
x32: (x32)\Map\ x64: (x64)\Map\	AlternativeSelect	0, 1	0	4.10.0	. 0 – . 1 – .
x32: (x32)\Map\ x64: (x64)\Map\	<id_>MiniMapB	>0	MiniMapT + 169	4.10.1	Y . - - (MiniMap).
x32: (x32)\Map\ x64: (x64)\Map\	<id_>MiniMapL	>0		4.10.1	Y . - - (MiniMap).
x32: (x32)\Map\ x64: (x64)\Map\	<id_>MiniMapR	>0	MiniMapL + 287	4.10.1	. - - (MiniMap).
x32: (x32)\Map\ x64: (x64)\Map\	<id_>MiniMapT	>0	Y	4.10.1	. - - (MiniMap).
x32: (x32) \Map\Minimap x64: (x64) \Map\Minimap	ShowOnMouseMove	0, 1	0	4.10.2	: 0 – . 1 – .
x32: (x32)\Map\ x64: (x64)\Map\	EventFontHeight		-8	4.10.3	.
x32: (x32)\Map\ x64: (x64)\Map\	InscribeEditor	0, 1	1	4.10.5	" " , - . 0 – , " ". 1 – , - " ".
x32: (x32)\Map\ x64: (x64)\Map\	HideAnalogName	0, 1	0	4.10.5	"Value = " . 0 – "Value = ". 1 – "Value = ".
x32: (x32)\Map\ x64: (x64)\Map\	TouchScreen	0, 1	0	4.10.5	. 0 – . 1 – .
x32: (x32)\Map\ x64: (x64)\Map\	MapBlinkUpdateTimeout MS	>0	350	4.10.5	. . (350) 700 . ,, , , 700 , . , .
x32: (x32)\Map\ x64: (x64)\Map\	Sort_by_id	0, 1	0	4.11.0	(.). 0 – (.). 1 – .

x32: (x32)\Map\ x64: (x64)\Map\	DisableBlinkLink	0, 1	0	4.11.3	. 0 – . 1 – .
x32: (x32)\Map\ x64: (x64)\Map\	NoInheritAlarmAnotherCard	0, 1	0	4.11.3	. 0 – , . 1 – , .  ! 4.11.3.4292 AlarmLinkSearchDepthKey ()
x32: (x32)\Map\ x64: (x64)\Map\	AlarmLinkSearchDepthKey	-1, 0, >0	-1	4.11.3	. -1 – 0 – , , (NoInheritAlarmAnotherCard=1, 4.11.3.4292) >0 – , ., 6 3. =1 3, 2 4 ., .
x32: (x32)\Map\ x64: (x64)\Map\	DrowArrowSearchDepth	>=0	5	4.11.3	DRAW_ARROW. 0 – >0 – , ., 5 1 5, DrowArrowSearchDepth=5 1 5, DrowArrowSearchDepth=4 , .

(e-mail)					
x32: (x32)\MMS\ x64: (x64)\MMS\	UseTls	0, 1	1	4.11.2	, TLS .
x32: (x32)\MMS\ x64: (x64)\MMS\	SendSync	0, 1	0	4.11.2	. 0 – (SMTP-, , SMTP-). 1 – (SMTP-, , SMTP-). . . .

(SMS)

x32: (x32)\SMS\ x64: (x64)\SMS\	ProcessFromSim	0, 1	, 0	4.9.4	1 , USB-, , RECEIVE SMS (. SMS). HUAWEI E173. ! SMS- SIM . ! SMS- SIM , RECEIVE .

x32: (x32)\Script\ x64: (x64)\Script\	DebugMaxLines	>=0	200	4.9.5	(. . JScript).
x32: (x32)\Script\ x64: (x64)\Script\	TerminateProcessOnHang	0, 1	1	4.10.4	0 – VMSScript.exe (). 1 – VMSScript.exe ().

32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	UseRealTimeStamps		-	4.9.8	, (timestamps). () .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.unattendedObjectSensitivity	«id-». – [1...25] : unattendedObjectSensitivity="1.15,99.20,4.7"	7	4.9.8	/ .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.unattendedObjectLongMemory	«id-.1». unattendedObjectLongMemory ="1.1,1000.1,2.1,999.1,3.1,5.1,4.1,6.1,7.1,8.1" «id-.0», .	-	4.9.8	, .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.unattendedObjectTimeBeforeCheck	«id-». : unattendedObjectTimeBeforeCheck = "4.20,1.10,3.40"	, (. ,).	4.9.8	.
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	determineNoise	0, 1	1	4.9.8	(1) (0)
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.determineColorIdentity	0, 1	1	4.9.8	(1) (0) . (.).

32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	determineHumanCar	. : determineHumanCar ="1,1000,2,999,3,5,4,6,7,8"	-	4.9.8	, , . determineGivenTaken determineHumanCar . .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	determineGivenTaken	. : determineGivenTaken ="1,1000,2,999,3,5,4,6,7,8"		4.9.8	, /. determineGivenTaken determineHumanCar . .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDAFPS	>=-1	30	4.9.8	. -1 - 0 - , (). >0 - , .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	useLeftImprover	0, 1	-	4.9.8	: 0 - . 1 - . , . ! 1 useFilterFrame (.).
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	longShif	>=0	-	4.9.8	, , useLeftImprover 1. .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	longShiftUpdateThreshold	>=0	-	4.9.8	, . , useLeftImprover 1. .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	useLeftImproverGeometry	0, 1	-	4.9.8	-, . , , . ! 1 useFilterFrame (.).
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	timeShift	>=0	-	4.9.8	, "" useLeftImproverGeometry. , , .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	timeLife	>=0	-	4.9.8	, - useLeftImproverGeometry.
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	maxDeltaInside	0 – 255	-	4.9.8	, timeShift. , (), .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	minDeltaOutside	0 – 255	-	4.9.8	, , , , . useLeftImproverGeometry. , (), .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	useFilterFrame	0, 1	0	4.9.8	. , useLeftImprover useLeftImproverGeometry (.). 1 - ; 0 - .
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.determineNoise	0, 1	1	4.10.3	.
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.determineGivenTaken		-	4.10.3	VMDAEXT 1. . VMMA. .. CAM_VMMA_DETECTOR VMMA.
32: (X32)\Video\VMDA x64: (x64)\Video\VMDA	VMMA.determineHumanCar		-	4.10.3	VMMAEXT 1. . VMMA. .. CAM_VMMA_DETECTOR VMMA.

x32: (x32)\Video\VMDA x64: (x64)\Video\VMDA	VMDA.filterGivenOrTaken	VMDA "." . "," ";"	2 VMDA	4.10.5 DP 2.6	VMDAEXT 1 VMDA.determineGivenTaken. VMDA, . : 0 – 1 – 2 – : __VMDA "." _ : 1.0 "," ";" : 1.0;2.2;3.1
32: (x32)\Video x64: (x64)\Video	live_time	0 – 2 147 483 648	-	4.11.2 DP 2.8	, , . . .
32: (x32)\Video x64: (x64)\Video	vmda_color	4 RGB: 4- = 0 3- – R (0..255) 2- – G (0..255) 1- – B (0..255)	-	4.11.2 DP 2.8	. . VMDAEXT 1.

AviExport					
32: (X32)\Video\AVI x64: (x64)\Video\AVI	UseCodecAXXN	0, 1	0	4.10.0	1 – AVI AXXN. 0 – . .. <i>AviExport</i> .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	ExportPriority	-2 2	-1	4.10.0	AviExport Video.run : -2 – (IDLE_PRIORITY_CLASS) -1 – (BELOW_NORMAL_PRIORITY_CLASS) 0 – (NORMAL_PRIORITY_CLASS) 1 – (ABOVE_NORMAL_PRIORITY_CLASS) 2 – (HIGH_PRIORITY_CLASS)
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	BookmarkMaxLen	>0 - (, "0,5")	-	4.10.3	, . , .

32: (X32)\Video\AVI64 x64: (x64)\Video\AVI64	SuspendDiskSizeUpdate	0, 1	0	4.10.5	, /. 0 – . 1 – , /.
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	ExportDir		C:\export	4.10.0	: ■ , AviExport (); ■ , ; ■ , . AviExport, . . AviExport ,
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	UseTempDir		-	4.10.5	, . , TempDirByDst 0 (.). , ExportDir (AviExport, .) . <i>UseTempDir</i> . .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	TempDirByDst	0, 1	1	4.10.5	UseTempDir (.). 0 – , UseTempDir. 1 – , ExportDir (AviExport, .).
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	SimpleDlgModeLock	0, 1	0	4.10.5	AviExport. AviExport (), 1. .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	PlayerName	, (, ,)	Axxon	4.10.0	ITV, AviExport, (.). , "<_>_player_portable.exe". , , Axxon_player_portable.exe.
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	HideMaskFaces	0, 1	0	4.11.2	AviExport (.) 0 – 1 –
32: (X32)\Video\AviExport\Masking x64: (x64)\Video\AviExport\Masking	WholeScreenHideMode	HIDE_WHOLE_SCREEN_WITHOUT_LIVE_VIDEO DONT_HIDE HIDE_WHOLE_SCREEN	-	4.11.3	, . HIDE_WHOLE_SCREEN_WITHOUT_LIVE_VIDEO – . DONT_HIDE – HIDE_WHOLE_SCREEN – ,
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	MaximumParallelExportProcesses	>=0	0	4.11.2	. .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	UpdateProgressTimer	>=0	1000	4.11.2	, .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	CheckProcessTimer	>=0	500	4.11.2	, .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	AudioSourceTimer	>=0	60000	4.11.2	.
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	VideoSourceTimer	>0	60000	4.11.2	.

32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	DestinationTimer	>=0	600000	4.11.2	- .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	CleanupFilesTimer	>=0	2000	4.11.2	. . 0, . 5000 (5) 5.
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	OutputStreamDataLogTimer	>=0	2000	4.11.2	log- .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	WaitCamInfoTimer	>=0	3000	4.11.2	, .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	CdDiskMempoolTreshold	15-50	50	4.11.3	.
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	CanUseVfwApi	0, 1	1	4.11.3	avi Vfw (, CanUseVfwApi=1). FFmpeg, 0
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	VideoQueueSizeMb	>0	32	4.11.3	, . , . .
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	AviShowPlayerSection	0, 1	1	4.11.3	, AviExport: 1 – 0 –
32: (X32)\Video\AviExport x64: (x64)\Video\AviExport	AviRequiredAdditionalFilePath		-	4.11.3	, AviExport. ., C Export Info.txt, , : C:\Export\Info.txt , . :<>”/\ ? * .

RTSP-					
32: (32)\StreamingServer x64: (64)\StreamingServer	def_port	>0	17000	4.9.9	UDP RTSP-RTP.
32: (32)\StreamingServer x64: (64)\StreamingServer	IpInterface	IP-	-	4.9.9 – 4.10.4	IP- , RTSP-
32: (32)\StreamingServer x64: (64)\StreamingServer	split_range	>0	1	4.10.1	"" RTSP- , , , RTSP DESCRIBE (range), . . .
32: (32)\StreamingServer x64: (64)\StreamingServer	send_real_time	0, 1	0	4.10.1	, RTSP, VLC media player. . ! 1, . . 4.10.4 VLC RTSP –. RTSP .

32: (32)\StreamingServer x64: (64)\StreamingServer	LogFrames	0, 1	1	4.10.1	RTSP-.
32: (32)\StreamingServer x64: (64)\StreamingServer	initial_port_num	0 – 65535	6970	4.11.3	RTSP/UDP .

32: (32)\OperatorProtocol x64: (64)\OperatorProtocol	ArchShift	>=0	0	4.11.0	, (.). , .
32: (32)\OperatorProtocol x64: (64)\OperatorProtocol	RectColor		Red	4.11.2	, , .
32: (32)\OperatorProtocol x64: (64)\OperatorProtocol	RectLineWidth	>0	2	4.11.2	, , .
32: (32)\OperatorProtocol x64: (64)\OperatorProtocol	hide_image_preview	0, 1	0	4.11.2	: 0 – . 1 – .
32: (32)\OperatorProtocol x64: (64)\OperatorProtocol	single_selection	0, 1	0	4.11.2	Ctrl Shift : 0 – ; 1 – .

32: (32)\WebServer\ECHD\ x64: (64)\WebServer\ECHD\	ExportContainerFormat	mp4, avi, flv, mov, asf	mp4	4.10.1	HTTP API – .
32: (32)\WebServer\ECHD\ x64: (64)\WebServer\ECHD\	AdditionalVersionString	, ,	-	4.10.5	, getdeviceinfo HTTP API firmware version.
32: (32)\WebServer\ECHD\ x64: (64)\WebServer\ECHD\	ReplacePointAndClick	0, 1	0	4.10.5	, ONVIF, degreesmove2 (.).
32: (32)\WebServer\ x64: (64)\WebServer\	TelemetryCommandMoveTimeout	>=0	-	4.10.5	degreesmove2, Point&Click (.).

32: (32)\MonitoringCenter\ x64: (64)\MonitoringCenter\	DefaultButtonWidth	>0	100	4.10.4	. .
32: (32)\MonitoringCenter\ x64: (64)\MonitoringCenter\	DefaultRowHeight	>0	70	4.10.4	. .
32: (32)\MonitoringCenter\ x64: (64)\MonitoringCenter\	ButtonFontHeight		-11	4.10.4	.
32: (32)\MonitoringCenter\ x64: (64)\MonitoringCenter\	clrButtonAccept	#RRGGBB	#FFFFFF	4.10.4	#RRGGBB, #FFFFFF () –, #00FF00 –
32: (32)\MonitoringCenter\ x64: (64)\MonitoringCenter\	clrButtonClose	#RRGGBB	#FFFFFF	4.10.4	#RRGGBB, #FFFFFF () –, #00FF00 –
32: (32)\MonitoringCenter\ x64: (64)\MonitoringCenter\	CancelByServerEnable	>=0	-	4.10.4	web- . , , . 0 – . >0 – .

HTML					
32: (32)\HTML_Interface\ x64: (64)\HTML_Interface\	process	opccef	-	4.11.0	Chromium - HTML- Internet Explorer. Internet Explorer, .

SIP-					
32: (32)\SIP\ x64: (64)\SIP\	CallTimeout	>0	30000	4.11.2	, . , .. SIP-
32: (32)\SIP\ x64: (64)\SIP\	WaitAnswerSlaves	>=0	10	4.11.2	, , SIP- .
32: (32)\SipPanel\ x64: (64)\SipPanel\	LastOperator	>=0	-	4.11.2	SIP-, .
32: (32)\SipPanel\ x64: (64)\SipPanel\	NotEndCallWhenDeactivate	0, 1	0	4.11.2	sip- , SIP- 0 – sip- 1 – sip- .

32: (32)\SipPanel\ x64: (64)\SipPanel\	wavCallLooped	0, 1	0	4.11.3	« » . 0 – , . 1 – , .
32: (32)\SipPanel\ x64: (64)\SipPanel\	wavWaitLooped	0, 1	0	4.11.3	« » . 0 – , . 1 – , .
32: (32)\SipPanel\ x64: (64)\SipPanel\	wavTryingLooped	0, 1	0	4.11.3	. 0 – . 1 – .
32: (32)\SipPanel\ x64: (64)\SipPanel\	wavBusyLoopedCount	>=0	4	4.11.3	. 0 1, .
32: (32)\SIP\ x64: (64)\SIP\	ExpiresOnlyInContact	0, 1	0	4.11.2	SIP- : 0 – Expires 200 , REGISTER (Contact) 1 – Expires 200 Contact REGISTER
32: (32)\SIP\ x64: (64)\SIP\	ClientExpires	>0	360	4.11.3	SIP-, SIP-. SIP-.

ONVIF-					
32: (32)\ONVIFServer\ x64: (64)\ONVIFServer\	PauseServiceStartMs	>0	-	4.11.2	, ONVIF . , ONVIF- ONVIF- .

VideoIQ7.					
32: (32)\Video\Defragmentation x64: (64)\Video\Defragmentation	IntervalMinutes	> = 0		60	1.0.2 (.)
32: (32)\Video\Defragmentation x64: (64)\Video\Defragmentation	IntervalOnStartMinutes	> = 0		60	1.0.2 (.)
32: (32)\Video\Defragmentation x64: (64)\Video\Defragmentation	MaxFileFragmentsAllowed	> = 0		10	1.0.2 *.db3 . , idx.db3 detectorevent.db3 (). *.db3 ,
32: (32)\Video\Defragmentation x64: (64)\Video\Defragmentation	ModeForFull	0 – 10		4	1.0.4 , *.db3

32: (32)\Video\Defragmentation x64: (64)\Video\Defragmentation	Mode	0-10	2	1.0.4	0 – , 1 – , 2 – , 3 – . , 4 – 5 – 6 – 7 – () 8 – () 9 – () 10 – ()
32: (32)\Video\Defragmentation x64: (64)\Video\Defragmentation	ModeForPartial	0-10	3	1.0.4	,
32: (32)\Video\Defragmentation x64: (64)\Video\Defragmentation	FreeSpace	0 – 10	1	1.0.4	(%)
32: (32)\Video\Defragmentation x64: (64)\Video\Defragmentation	Speed	0 – 100	3	1.0.4	(%)
32: (32)\Video\Defragmentation x64: (64)\Video\Defragmentation	ThreadPriority	0 – THREAD_PRIORITY_LOWEST 1 – THREAD_PRIORITY_BELOW_NORMAL 2 – THREAD_PRIORITY_NORMAL 3- THREAD_PRIORITY_ABOVE_NORMAL	0	1.0.4	
32: (32)\Debug x64: (64)\Debug		-	-	1.0.4	, -, , video.exe, : SOFTWARE\ITV\INTELLECT\Debug\ video.exe
32: (32)\Debug x64: (64)\Debug	Filter		-	1.0.4	,
32: (32)\Video x64: (64)\Video	scene	0, 1	1	1.0.5 SP1	
32: (32)\Video x64: (64)\Video	momentquest	0, 1	1	1.0.5 SP1	MomentQuest (0 –)