

- 
- StartSession
- ListSessions
- GetSessionState
- StopSession
- DownloadFile
- DestroySession

proto- ExportService.proto Export.proto.

6:

1. ListSessions - .
2. StartSession - .
3. GetSessionState - .
4. StopSession - .
5. DestroySession - .
6. DownloadFile - .

gRPC-, . gRPC API, .  
, . . StartSession , 1.  
, . , . - .  
X DownloadFile, .

## StartSession

, Options.

```
message Options
{
  oneof mode
  {
    LiveMode live = 1;
    ArchiveMode archive = 2;
  }
  oneof output_type
  {
    SnapshotType snapshot = 3;
    StreamType stream = 4;
  }
  repeated CommonSetting settings = 5;
  // Maximum size of output file.
  // New file will be created on reaching this value.
  uint64 max_file_size = 6;
  string export_agent_access_point = 100;
}
```

- oneof , .
- export\_agent\_access\_point - id .

**mode output\_type 4 :**

1. LiveMode + SnapshotType - .
2. LiveMode + StreamType - .
3. ArchiveMode + SnapshotType - .
4. ArchiveMode + StreamType - .

LiveMode, ArchiveMode, SnapshotType StreamType . CommonSetting .

:

Options max_file_size	(. ).
Options export_agent_access_point	Id .
StreamType format	.
SnapshotType format	.
ArchiveMode/LiveMode Source origin	(. <a href="#">gRPC API (DomainService)</a> ).
ArchiveMode Source storages	(. <a href="#">gRPC API (DomainService)</a> ).
ArchiveMode start_timestamp	.
ArchiveMode end_timestamp	.
CommonSetting comment	.
CommonSetting timestamp_format	.
CommonSetting text_place	.
CommonSetting text_color	.
CommonSetting burn_subtitle	( ).
CommonSetting apply_mask	( ).
StreamSetting video_quality	.
StreamSetting video_codec	.
StreamSetting audio_quality	.
StreamSetting audio_codec	.
StreamSetting frame_frequency	.
SnapshotSetting pdf_layout	PDF .
SnapshotSetting snapshot_place	PDF .
SnapshotSetting comment_place	PDF .
SnapshotSetting timestamp_place	PDF .
SourceSetting crop_area	(. ).
SourceSetting mask_space	.
SourceSetting text_place	.
SourceSetting text_color	.

, , **GetSessionState**.

/ **GetSessionState**.

5 , - 30 .

id .

## ListSessions

SessionInfo . , next\_page\_token .

SessionInfo :

1. id .
2. .

```

enum EState
{
    S_NONE = 0;
    S_RUNNING = 1;
    S_COMPLETED = 2;
    S_REMOVED = 3;
}

```

3.     S\_COMPLETED , .  
       ,     Result.

```

message Result
{
    message File
    {
        string path = 1;
        uint64 size = 2;
        string min_timestamp = 3;
        string max_timestamp = 4;
        string mime_type = 5;
    }
    repeated File files = 1;
    bool succeeded = 2;
}

```

a. succeeded – ;  
   b. File – ,   path   DownloadFile   size.

S\_COMPLETED 1 . . . GetSessionState DownloadFile.

## GetSessionState

id .  
     EState.  
       ,     Result.

## StopSession

id .  
     EState.

## DownloadFile

:  
   1. id ;  
   2. path – ;  
   3. chunk\_size\_kb – ;  
   4. start\_from\_chunk\_index – .

FileChunk , .

## DestroySession

id .