

- [dbo.EVENT](#)
- [dbo.OBJ_PERSON](#)
- [dbo.PROTOCOL](#)
- [dbo.UPDATE_PROTOCOL](#)

dbo.EVENT

			.
action	nvarchar(32)		
description	nvarchar(70)		
objtype	nvarchar(255)	,	
params	ntext	. ddi.exe	
type	nvarchar(5)	: (A), (M), (S), (H), (N), Windows (L)., ddi.exe , ALARM (), HNSLA	

dbo.OBJ_PERSON

			.
all_param	nvarchar(32)		
area_id	nvarchar(40)	, <i>ACFA</i> -	
auto_brand	nvarchar(32)		
auto_number	nvarchar(300)	. . <i>ACFA</i> - -	
auto_pass_type	int	.	
begin	nvarchar(25)		
begin_temp_level	nvarchar(25)	()	
card	nvarchar(255)		
card_date	nvarchar(25)		
card_loss	int		
card_type	int		
comment	ntext		
department	nvarchar(255)	,	

drivers_license	nvarchar(120)		
email	nvarchar(60)		
end_temp_level	nvarchar(25)		
expired	nvarchar(25)		
external_id	nvarchar(40)	.	
facility_code	nvarchar(255)		
finished_at	datetime		
flags	int	«-», «»	
guid	uniqueidentifier	(GUID)	
id	nvarchar(40)		
is_active_temp_level	smallint		
is_apb	smallint	/	
is_locked	smallint		
level2_id	nvarchar(40)		
level_id	ntext	. ,	
levels_times	ntext		
location	nvarchar(16)	-	
marketing_info	ntext	-	
name	nvarchar(255)		
owner_person_id	nvarchar(40)	«» -	
parent_id	nvarchar(40)		
passport	nvarchar(120)		
patronymic	nvarchar(255)		
person	nvarchar(50)	,	
phone	nvarchar(60)		
pin	nvarchar(255)	-	
post	nvarchar(255)		
pur	int		
rubeg8_zone_id	nvarchar(40)		
schedule_id	nvarchar(40)	.	
started_at	datetime		
surname	nvarchar(255)		
tabnum	nvarchar(60)		
teleph_work	nvarchar(16)		

temp_card	nvarchar(15)		
temp_level_id	ntext		
temp_levels_times	ntext		
visit_birthplace	nvarchar(120)		
visit_document	nvarchar(255)		
visit_purpose	nvarchar(120)		
visit_reg	nvarchar(120)		
when_area_id_changed	datetime		
whence	nvarchar(60)	: ,	
who_card	nvarchar(60)	,	
who_level	nvarchar(60)	,	

dbo.PROTOCOL

			.
objtype	nvarchar(50)	, (, GUI , ddi.exe)	ddi.exe
objid	nvarchar(50)	,	
action	nvarchar(50)	(ddi.exe).	
region_id	nvarchar(50)	.	
param0	nvarchar(255)	. .	
param1	nvarchar(255)		
param2	nvarchar(255)		
param3	nvarchar(255)	. , (, ACCESS_IN)	
user_param_double	float		« »
date	datetime	.	
time	datetime	(). date	
time2	datetime	2, (). date	
owner	nvarchar(50)	, ,	
operator_id	nvarchar(60)	,	



datetime , .

param0 – param3 , , .

dbo.UPDATE_PROTOCOL

			.
objtype	nvarchar(255)	, (, GUI , ddi.exe)	ddi.exe
objid	nvarchar(255)	,	
old_param	ntext		
new_param	ntext		
user_id	nvarchar(255)	,	
date	datetime		
time	datetime		
owner	nvarchar(255)	,	
action	int	. : • 0 • 1 • 2	